

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment—Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Pottawatomie	Fraction NW 1/4 of W 1/2	Section number 13	Township number T 8 South	Range number R 9 east
2. Distance and direction from nearest town or city: Street address of well location if in city:			3. Owner of well:		
Westmorland, Kansas 1 South on 99 east 1 1/2 mi + South 1/8 mi			Elmer Willie Wayne Shade, Below, Kansas Wamego, Kansas		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 10 in. Completion date Dec 2-76 Well depth 52 ft.	
				7. <input checked="" type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
5. Type and color of material				<input checked="" type="checkbox"/> Casing: Material PVC Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 16 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight Sch 40 lbs./ft. Dia. 5 in. to 52 ft. depth wall thickness 1/8 in. Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 298 Wall	
		From	To	10. Screen: Manufacturer's name Pumplex Type PVC M.P.I. Dia. 5 Slot/gauze .040 Length 20 Set between 30 ft. and 40 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/8 X 1/4	
top soil		0	4	11. Static water level: 20 ft. below land surface Date 12-2-76	
clay, blue		4	19	12. Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield 3 g.p.m.	
Rock Very Hard		19	21	13. Water sample submitted: <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____	
Rock Porous + soft		21	30	14. Well head completion: NA <input type="checkbox"/> Pitless adapter _____ Inches above grade	
shale blue		30	52	15. Well grouted? <input checked="" type="checkbox"/> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 15 ft. to 3 ft.	
				16. Nearest source of possible contamination: 200ft Direction West Type Pond Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name _____ Model number _____ HP _____ Volts _____ Length of drop pipe _____ ft. capacity _____ g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Business name Shades Drilling Co. License No. 6-297 Address Blue Rapids, KS Signed Harold Shades Date 12-2-76 Authorized representative	
18. Elevation:	19. Remarks:				
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5