				WATER WEL	L RECO	RD Form	n WWC-5	KSA 82a	-1212 II	D No					
1 LOCATION OF WATER WELL:			Fraction				Sect	ion Numbe		Township Number			Range Number		
County:				½ NV			1/4	29	Т	09	s	R	01	E	
			town or city stre												
			a & Santa Fo			of CR 4	u4, Oak I	1111							
2 WATER W				hristner,	Jr.		* .								
RR#, St. Add				k Road							ulture, Divi	sion of W	ater Reso	urces	
City, State, Zi	IP Code WELL'S LOC			II, Kansas	5				Арр	lication Nu	mber:				
3 AN "X" IN	SECTION B	OX:	4 DEPTH	OF COMPL	ETED W	VELL	20	ft. ELE	EVATION:						
→	1	X.	Depth(s) G	roundwater l	Encount	ered 1	. 9		ft 2		ft	3		ft	
L_	-NW	- NE	WELL'S S	TATIC WATE	RLEVE	L 7.	98 ft.	below land	surface n	neasured o	n mo/dav/	VF	3-11-05	5	
	i			Pump test d											
∰ W	<u> </u>		E Est. Yield												
7		- } -	Poro Holo	Diameter	25	in to	21	5	4			4-		£	
	-sw	SE	WELL WA	TER TO BE I	USED A	S: 5 Pub	olic water s	upply	8 A	ir condition	ning 11	Injection	n well		
1	i	i	1 Do	mestic 3 F	eed lot	6 Oil	field water	supply	9 D	ewatering	12	2 Other	(Specify be	elow)	
V	S		2 Irriq	gation 4 l	ndustrial	7 Lav	vn and gard	den (domes	tic) 10	Monitoring	well				
	, 3		Was a che	mical/bacteri	ological	sample sul	bmitted to [Department	? Yes	No X	If yes,	mo/day/	yr sample	was	
			submitted					V	ater Well	Disinfected	d? Yes		No X		
5 TYPE OF	BLANK CAS	ING USE):	5 V	Vrought	Iron	8 Concr	ete tile	CAS	SING JOIN	ITS: Glued	d	Clamped	1	
_1 Stee	el	3 RM	P (SR)	6 4	Asbestos	s-Cement	9 Other	(specify be			Weld				
2 PVC	;	4 AB:	S		berglas				-		Threa	ded	Flusi	1	
Blank casing	diameter	2	in. to	5	ft., Dia		in. t	0	ft Di	a		in. to		ft.	
Casing heigh	t above land	surface	Flushmou	int in we	iaht	0.	703	lbs./fl	t. Wall thi	ckness or o	gauge No.		Sch. 40)	
TYPE OF SC	REEN OR P	ERFORAT	ION MATERIA	L:			7	PVC							
1 Stee			inless steel	5 F	iberglas	s		RMP (SR)		-					
2 Bras	S		vanized steel	6 (Concrete	tile	9	ABS		12 None	used (ope	en hole)			
SCREEN OR	PERFORAT	TON OPE	NINGS ARE:		5	5 Gauzed	wrapped		8 Sa			-	e (open h	ole)	
1 Cont	tinuous slot		3 Mill slot			Wire wr				illed holes					
2 Louv	ered shutter		4 Key punche			7 Torch c			10 Ot	her (speci	fy)				
SCREEN-PE	RFORATED	INTERVA	LS: From _	5	ft.	to	20	ft.	From		ft. te	0		ft.	
			From _		ft.	to		ft.	From		ft. to	0		ft.	
GRA'	VEL PACK IN	NTERVAL	S: From	3	ft.	to	20	ft.	From		ft. t	0		ft.	
6 GROUT M	MATERIAL:	1 Ne	at cement	2 Ceme	ent grout		3 Ben	tonite	4 Othe	r Conc	rete				
Grout Interva	ls From	0	ft. to	1 ft.	From	1	ft. 1	to 3	3 ft	. From		ft. to		ft.	
What is the n	earest source	e of possib	le contamination	on:				10 Live	estock per	ns .	14 Aba	andoned	water wel	i	
1 Sept	tic tank		4 Lateral	lines	7	Pit privy					15 Oil				
2 Sew	er lines		5 Cess p	ool		Sewage la	agoon	12 Fer	tilizer stor	age	16 Oth	ner (spec	ify below)		
	ertight sewer	lines	6 Seepa	ge pit	9	Feedyard			ecticide st	orage					
Direction from		0005		TUOL COLO	100		FDOM	How mar	ny feet?	5/:	100810 ::	ITEE: /:			
FROM 0	то 3	CODE	Clayey silt	ITHOLOGIC	LUG		FROM	ТО		PLU	JGGING IN	NIERVA	1.5		
3	10		Silty Clay,	with san	d			 	 						
10	20		Silty Clay	Jain	-	-		 							
				,											
								-							
									+						
									+						
								 							
			· · · · · · · · · · · · · · · · · · ·					+	 						
								1	1						
7 CONTRA	CTOR'S OR	LANDOW	NER'S CERTIF	ICATION: T	his water	r well was	(1) constru	cted (2) re-	constructe	d. or (3) pli	ugged unde	er my juri	sdiction an	d was	
_			VERTIN	3-11-05	.as male			nis record is					•		
completed or Water Well C				53	1			ns record is Vater Well							
1				nnical Se		Inc				s complet	COLOII (IIIO)	uay/y/			
under the bu			anks and circle t				Dy (Significant	gnature) sas Departr	ent of Hea	Ith and Envi	ronment Ri	ureau of V	Vater, 1000	sw	
			nsas 66612-136												