

1 LOCATION OF WATER WELL: County: <u>1000.</u>		Fraction <u>N.W. 1/4 N.W. 1/4 S.E. 1/4</u>	Section Number <u>34</u>	Township Number <u>T 9 S</u>	Range Number <u>R 10</u> EW
Distance and direction from nearest town or city street address of well if located within city? <u>3400 East and 24, 1/2 no., 1/2 east, and 1/2 north.</u>					
From Wamego Ks, 1/4 mi. east on U.S.					
2 WATER WELL OWNER: <u>LeRoy Miller</u>					
RR#, St. Address, Box # : <u>704 Country Club Circle</u>					
City, State, ZIP Code : <u>Wamego, Ks. 66547</u>					
Board of Agriculture, Division of Water Resource Application Number: <u>41,496 and 41,497</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>87</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>36</u> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr <u>6-14-95</u>			
		Pump test data: Well water was <u>62</u> ft. after <u>1</u> hours pumping <u>1500</u> gpm			
		Est. Yield <u>1500</u> gpm: Well water was <u>82</u> ft. after <u>1</u> hours pumping <u>1800</u> gpm			
		Bore Hole Diameter. <u>32</u> in. to <u>87</u> ft., and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes <u>XX</u> No <u>XX</u> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <u>XX</u> No			

TYPE OF BLANK CASING USED:		5 Wrought iron	6 Concrete tile	CASING JOINTS: Glued .XX. Clamped .XX.
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	4 ABS	7 Fiberglass		Threaded.

Blank casing diameter . 4.75 . 16 . in. to . . . 47 . . . ft., Dia in. to ft.

Casing height above land surface . . 12 . . . in., weight lbs./ft. Wall thickness or gauge No. 50

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	7 <u>PVC</u>	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
			9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 <u>Saw cut</u>	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From Cont. 67 . . . ft. to 87 . . . ft., From ft. to ft.

From Sawed 47 . . . ft. to 67 . . . ft., From ft. to ft.

GRAVEL PACK INTERVALS: From . . . 20 . . . ft. to . . . 87 . . . ft., From ft. to ft.

From ft. to ft., From ft. to ft.

6 GROUT MATERIAL:		1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals:		From 0 ft. to 20 ft.	From 20 ft. to 20 ft.	From 20 ft. to 20 ft.	From 20 ft. to 20 ft.
What is the nearest source of possible contamination:					
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well	
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)	
			13 Insecticide storage	none	
Direction from well?			How many feet?		

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-14-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 323 This Water Well Record was completed on (mo/day/yr) 6-15-95 under the business name of Hoobler Drilling Co. by (signature) [Signature]