WATER WELL RECORD		Form WWC-5		Division of	Water Resources App. N	No
1 LOCATION OF WATER WELL: County: Pottawatomie		Fraction NW4SE 14NE	1/4 1/4	Section Numb	per Township No. T S	Range Number R /O X IE □W
Street/Rural Address of W			Global Position	ning System (GPS)		
from nearest town or inters	wner's address, chec	k here 🔲.	Latitude: 3.9.	26975	information: (in decimal degrees)	
				Longitude: 910.31802 (in decimal degrees)		
		Elevation:	GS 84, □ NAD 83, □	 		
2 WATER WELL OWNER: Key Express				Collection Met	and:	
RR#, Street Address, Box #: 408 Miller Dr. Swite A				GPS unit	Make/Model: Gall	min ETREX
City, State, ZIP Code : Warnego, KS Lebs 47			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
		Est. Accuracy:	☐ <3 m, △ 3-5 m, □] 5-15 m,		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 190 ft.						
WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL						
SECTION BOX: Depth(s) Groundwater Encountered (1) 8.0						
Pump test data: Well water was						
' ES	hours pun	nnino onm				
W -NW - NE - E EST. YIELD 3 gpm. Well water was						
WELL WATER TO BE USED AS: Public water supply Geothermal Direction well						
Irrigation						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
water well distillected: Tes 100						
5 TYPE OF CASING USED: Steel PVC Other .H.D.P.E.						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter 3/4 in to 190 ft., Diameter in to ft., Diameter in to ft. Casing height above land surface in, Weight libs./ft., Wall thickness or gauge No. 578.						
Casing height above land surface						
TYPE OF SCREEN OR PER			_	7.04- (0		
Steel □ Stainless Steel □ PVC □ Other (Specify) □ Brass □ Gelvanized Steel □ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Forch cut ☐ Drilled holes ☐ None (open hole)						
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS. From ft. to ft., From ft. to ft.						
From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage 💢 Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
FROM TO	LITHOLOGI	CLOG	FROM			UGGING INTERVALS
O 18 Clay	Littorodi	.0 100	IKOW	10 LIIII	5. 200 (cont.) <u>or</u> 1 20	COULTO HITLKYALD
18 40 Shall						
40 41 Limesto	N 9				· · · · · · · · · · · · · · · · · · ·	
41 80 Shall 80 83 Limesto 83 100 Shale						
80 83 Limesto	N O					
83 100 Shale						
100 104 Limesto	one					
104 190 Share						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No. 760. This Water Well Record was completed on (mo day/year) . 2426/!! under the business name of . As Sciated Dilling Inc. by (signature) duller of the signature of the						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in planks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Depar	rtment of Health a	and Environment, Bureau	of Water, Geo	logy Section, 1000 S	W Jackson St., Suite 420,	Topeka, Kansas 66612-1367.
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.						
http://www.kdheks.gov/waterwell/index.ntml. KSA 82a-1212						
130/1 024 1212						