

1 LOCATION OF WATER WELL: Fraction SW 3/4 SW 1/4 NW 1/4 Section Number 29 Township Number T 9 S Range Number R 11 EW

Distance and direction from nearest town or city street address of well if located within city?

Approximately 1 1/2 miles north and 2 1/4 miles west of Belvue

2 WATER WELL OWNER: Pottawatomie County RWD #4

RR#, St. Address, Box # 24325 Oregon Trail Rd.

City, State, ZIP Code Belvue, KS 66407

Board of Agriculture, Division of Water Resources

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL 77 ft ELEVATION unknown

Depth(s) Groundwater Encountered ft. 2 ft. 3

WELL'S STATIC WATER LEVEL 20.45 ft below land surface measured on mo day yr 4-22-97

Pump test data. Well water was not ch'd. ft after hours pumping gm

Est Yield unknown gm Well water was ft after hours pumping gm

Bore Hole Diameter .5 in to 84 ft. and in. to ft.

WELL WATER TO BE USED AS 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Observation Well

Was a chemical bacteriological sample submitted to Department? Yes No X If yes, mo day yr sample was submitted

Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED

1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS Gued X Clamped

2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded

Blank casing diameter 2 in. to 55 ft Dia in to ft Dia in. to ft

Casing height above land surface 24 in. weight .44 lbs ft Wall thickness or gauge No .091

TYPE OF SCREEN OR PERFORATION MATERIAL

1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos cement

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)

SCREEN OR PERFORATION OPENINGS ARE 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes

2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 55 ft. to 75 ft. From ft. to ft.

GRAVEL PACK INTERVALS. From 30 ft. to 83 ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Bentonite Holeplug

Grout Intervals. From ft. to ft. From ft. to ft. From 0 ft. to 30 ft

What is the nearest source of possible contamination?

1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well Gas well

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)

None known

Direction from well? How many feet?

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 3 Topsoil

3 19 Clay, brown, hard

19 22 Clay, tan, hard

22 24 Clay, tan, soft

24 28 Clay, green, soft

28 37 Sand and gravel, coarse, medium, fine

37 41 Clay, tan, soft

41 81 Sand and gravel, coarse, medium, fine

81 84 Shale, blue, hard

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo-day year) 4-22-97 and this record is true to the best of my knowledge and belief Kansas

Water Well Contractor's License No. 185 This Water Well Record was completed on (mo-day yr) 5-16-97

under the business name of Clarke Well & Equipment, Inc. by (signature) Clarke Well & Equipment