3625 OB 11	97	ER WELL RECORD	Form MANO E MON	220 1212		
1 LOCATION OF WA		EN WELL NEOUND	Section Numb	32a-1212 Jer Township No	umber	Range Number
County: Pottaw	vatomie NE	1/4 SW 1/4 NV		т 9	S	R 11 EW
Distance and direction	from nearest town or city street	address of well if locate	d within city?			
Approximatel	y $1\frac{1}{2}$ miles north an	d 2 miles west	of Belvue			
2 WATER WELL OV	NER Pottawat	omie County RWI	#4			
RR#, St. Address, Bo	×#: 24325 Or	egon Trail Rd.		Board of A	griculture, D	Division of Water Resource
City, State, ZIP Code	Belvue,	KS 66407		Application	-	
3 LOCATE WELL'S L	OCATION WITH 4 DEPTH OF	COMPLETED WELL	74	VATION: unkr	nown	
AN "X" IN SECTIO	NI BOY:					
ī						4-22-97
	P.,,					mping gpm
NW	1 NF 1					nping gpm
<u>.</u>	, , ,					toft.
N   N   N   N   N   N   N   N   N   N	t WELL WATER	TO BE USED AS:	5 Public water supply	8 Air conditioning	11	njection well
	1 Domesti	c 3 Feedlot	6 Oil field water supply	9 Dewatering	12 (	Other (Specify below)
sw	2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well	0bs	servation Well
	Was a chemica					mo day/yr sample was sub
<u> </u>	mitted			Water Well Disinfected		
5 TYPE OF BLANK	CASING USED:	5 Wrought iron				X Clamped
1 Steel	3 RMP (SR)		9 Other (specify be			ed
2 PVC	4 ABS	7 Fiberglass			Threa	ded
Blank casing diameter	, , , , $2$ , , , , in, to , , , , , , ,	57 tt., Dia	in. to	ft., Dia	i	n to ft.
Casing height above	and surface24.	in weight	. <b>. 44</b>	s.ft. Wall thickness o	or gauge No	
TYPE OF SCREEN O	R PERFORATION MATERIAL:		7 PVC	10 Asb	estos-ceme	nt
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Othe	er (specify)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 Non	e used (ope	en hole)
SCREEN OR PERFO	RATION OPENINGS ARE:	5 Gauze	ed wrapped	8 Saw cut		11 None (open hole)
1 Continuous sid	ot 3 Mill slot	6 Wire v	wrapped	9 Drilled holes		
2 Louvered shut	ter 4 Key punched	7 Torch				
SCREEN-PERFORAT	ED INTERVALS: From	5.7 ft. to	72 ft., F	rom	ft. tc	)
	From	ft. to				
GRAVEL PA	CK INTERVALS: From	. 3.0 ft. to	80 ft., F		fi. to	t
		ft to	ft., F		ft. to	
_	1 Neat cement					
Grout Intervals: Fro		ft., From				
!	ource of possible contamination:			,		andoned water well
1 Septic tank	4 Lateral lines	7 Pit privy		el storage		well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lago		rtilizer storage		her (specify below)
1	er lines 6 Seepage pit	9 Feedyard		ecticide storage	None	known
Direction from well? FROM TO	LITHOLOGIC	2100		nany feet?	JGGING IN	TEDVALO
0 3	Topsoil LITHOLOGIC	LOG	FROM TO	· · · · · · · · · · · · · · · · · · ·	Jadina in	HENVALO
3 6	Clay, black, hard			1		
6 22	Clay, black, hard					
22 29	Sand and gravel, me	edium, fine				
29 30	Clay, green, soft	caram, IIIIE				
30 76	Sand and gravel, co	naree modium				
70	fine	Jarse, medium,				
76 80	Shale, blue, hard					
	bridge, bride, hard					
1						
1						
7	AND LANDOUGH TO COMPANY	5101) To 1	1			
•	DR LANDOWNER'S CERTIFICAT					
completed on (mo/day	year)		and this re	cord is true to the bes	t-of my kno	wledge and belief. Kansas
completed on (morday Water Well Contractor	year)	This Water We	and this re	cord is true to the bes	t-of my kno	
completed on (mo-day Water Well Contractor) under the business na	year)	This Water We Equipment, In	and this re all Record was complete C. by (sign	cord is true to the besid on (mo day va)	t of my kno	wledge and belief. Kansas