WATE	R WEI	L RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. N	0.		
1 LOCATION OF WATER WELL: County: POTT.		Fraction SW 1/4 SW 1/4 NW	1 1/4 1/	Section	on Number 6		Range Number R 11			
Stree	Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
1	from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
1	2.5 MILES WEST OF BELVUE KS. 6 NORTH					Elevation:				
					<u>Datun</u>	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
1	2 WATER WELL OWNER: PETERSON FEEDLOT RR#, Street Address, Box #: 20505 HUNTING RD.					Collection Method: GPS unit (Make/Model:)				
City Co. I. City Co. I.			GO KS. 66547		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
					Est. A	ccuracy:	3 m, ☐ 3-5 m, ☐] 5-15 m, □ >15 m		
	LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 49									
1	TION BO									
	N	WELL'S STAT	WELL'S STATIC WATER LEVEL19ft. below land surface measured on mo/day/yr. 3/30/11							
	Pump test data: Well water was						ft. after hours pumping gpm			
				gpm. Well water wasft. after						
WELL WATER TO BE USED AS: ☐ Public water supply								Injection well		
SW - SF - Domestic										
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well										
s If yes, mo/day/yr sample was submitted										
mile Water well disinfected? ☑ Yes ☐ No										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☑ Threaded										
Casing diameter .8. in. to .42. ft., Diameter in. to ft., Diameter in. to ft.										
Casing height above land surface 36 in., Weight										
☐ Steel										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)										
I ouvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS: From										
6 CPOUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From .0										
What is the nearest source of possible contamination: Servic tank										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well										
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well										
		n well NORTH LITHOLOG	IC LOG	FROM	TO TO			JGGING INTERVALS		
FROM 0	TO 5	BLACK LOAM SOIL	IC LOG	48	49	LARGE G		, , , , , , , , , , , , , , , , , , , ,		
5	8	GREY CLAY		49		GREY CL				
8	16	BROWN CLAY								
16	28	GREY CLAY								
28	30	BLUE CLAY								
30 43	43	GREY CLAY MED TO FINE GREY S	SAND				Griginal Ret	urned to Sender		
44	44	MED SAND GREY CL					for Correct	ion Date: 4/30///		
45	47	MED TO LARGE GRA	VEL					77		
47	48	MED TO LARGE GRA	VEL/ GREY CLAY			C-1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .3/25/11										
Vaneas Water Well Contractor's License No. 782 This Water Well Record was completed on (mo/day/year)										
by (signature)										
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water. Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.										
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include ree of \$5.00 for each constituted well. Visit as at										
http://www.kdheks.gov/waterwell/index.html.										
KSA 82a	-1212				Cl	ieck. 🔽 Wi	ince Copy, L. Bi	ие сору, 🗀 тык сору		