

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Pottawatomie	Fraction 1/4 SW 1/4 SE 1/4	Section number 34	Township number T 9 S R 11 E	Range number 11 E
2. Distance and direction from nearest town or city: East Edge of Belvue on U.P.R.R. Street address of well location if in city:				3. Owner of well: Kansas Power & Light Co. R.R. or street: 818 Kansas Avenue City, state, zip code: Topeka, Kansas 66601		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 48 in. Completion date _____ Well depth 58 ft. 8/15/78		
		<p style="text-align: center;">Jeffrey Energy Center Well NO. 17</p>		7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
5. Type and color of material		From	To	8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Fill Dirt		0	4	9. Casing: Material steel Height: xxxx below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 60 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 70.6 lbs./ft. Dia. 18 in. to 28 ft. depth Wall thickness: inches or Dia. _____ in. to _____ ft. depth Gage No. 0.375"		
Sandy silt		4	15	10. Screen: Manufacturer's name Layne Type W.W. Dia. 30" Slot/gauze 100 Length 30' Set between 28 ft. and 58 ft. _____ ft. and _____ ft. Gravel pack? yes Size range of material 1/8 x 3/8"		
Med. to coarse sand & gravel		15	35	11. Static water level: _____ no./day/yr. 15 ft. below land surface Date 4/8/78		
Med. to coarse sand & gravel w/boulders		35	65	12. Pumping level below land surfaces: 23 ft. after 8 hrs. pumping 1200 g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield 1600 g.p.m.		
Shale		65		13. Water sample submitted: _____ no./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date _____		
				14. Well head completion: Pitless adapter _____ Inches above grade		
				15. Well grouted? Yes With: _____ Neat cement _____ Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 20 ft.		
				16. Nearest source of possible contamination: ND* ft. _____ Direction _____ type _____ Well disinfected upon completion? <input checked="" type="checkbox"/> Yes _____ No		
				17. Pump: _____ Not installed Manufacturer's name Layne Model number 12 RKBH HP 250 Volts 460 Length of drop pipe 50 ft. capacity 980 g.p.m. Type: _____ Submersible <input checked="" type="checkbox"/> Turbine _____ Jet _____ Reciprocating _____ Centrifugal _____ Other		
18. Elevation: + - 960'		19. Remarks: *Not Determined		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne Western Co. 102 Business name License No. _____ Address Wichita, Kansas Signed [Signature] Date 8-16-78 Authorized representative		