WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | | | | | | Тор | eka, Kansas 66620 | | |
|--|--|--|----------------|----------------|--|--|-------------------|------------------|--|
| | County Fraction | | Section number | | number | Township number Range number | | | |
| 1. Location of well: | pottawatomie | 1/4 SE 1/4 SW1/4 | | 3 | 6 | T 9 S | R 11 | E XXX | |
| 2. Distance and direction from nearest town or city: 2 Mi. East 3. Owner | | | | | | Kansas Power | | Co. | |
| of Belvue, Kansas on U.P.R.R. Street address of well location if in city: | | | | | | 818 Kansas Av Topeka, Kansa | | 601 | |
| City, state | | | | tate, zip | code: | 6. Bore hole dia. 48 in | | | |
| 4. Locate with "X" in section below: Sketch map: | | | | | | Well depth 43 ft. 8/15/78 | | | |
| Jeffrey Energy Center | | | | | 7Cable toolRotaryDrivenDug | | | | |
| Well No. 11 | | | | CCL | | Hollow rodJettedBored X_Reverse rotary | | | |
| well No. II | | | | | | 8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock | | | |
| SW SE | | | | | | Lawn Oil field water Other | | | |
| | | | | | | 9. Casing: Material Stee Height: Above XXXX Threaded Welded _XiSurface60in. | | | |
| | | | | | | RMPPVCWeight 70.6_lbs./ft. | | | |
| 1 | | | | | , | Dia 18 in. to 23 ft. depti. Wall Thickness: inches or Diain. toit. depth. gage No. 0.375" | | | |
| 5. Type and color of | material | | | From | To | 10. Screen: Manufacturer's | | | |
| G 1 | | | | 0 | 2 | | | | |
| Soil | | | | 0 | 3 | Type W.W. Slot/gauze 100 | Dia 30 - | 0' | |
| Brown clay | | | | 3 | 25 | Set between 23 | ft. and | 43 | |
| Med. to coarse sand & gravel | | | | 25 | 51 | Gravel pack? YES lize ra | and | /8 x 3/8 | |
| Green shale | | | 51 | 52 | 11. Static water level: 19 ft. below land sur | | | | |
| T T T T T T T T T T T T T T T T T T T | | | | | | 12. Pumping level below lan | d surfaces: | | |
| | | | | | | | | | |
| | yang an angguro-ng mengungan anggurapan gap saman ayan sap anganan garanan san taan sama samanan bersama | | | - | | ft. after Estimated maximum yield | 400 | g.p.m. | |
| | | | | | 13. Water sample submitted: | | no./day/yr. | | |
| Property and the second | | | | | | Yes A No | Date | | |
| | | | | | <u> </u> | Pitless adapter | Inches abo | va grade | |
| | | | | ļ | ! | 15. Well grouted? YES | v | | |
| | | | | | | With: Neat cement Bentonite X Concrete Depth: From 0 ft. to 20 ft. | | | |
| | | | | | | 16. Nearest source of possibl | | ND* | |
| The state of the s | | TO THE RESERVE THE | | | | ft Direction Well disinfected upon comple | Type | No. | |
| 7 | | | | | | 17. Pump: | Not installe | ed a | |
| | | | | | Manufacturer's name Lay | The second second second | voii.460 | | |
| | | | | | Model number 10 RKLO | fr (apacity | , | | |
| | | | | | | Type: | | | |
| | | | | - | | Submersible | X Turb | ine procating | |
| (Use a second sheet if needed) | | | | | | Centrifugal | Othe | 100 | |
| 18. Elevation: 19. Remarks: | | | | | | 20. Water well contractor's | | his room | |
| +- 956' | 6' *Not Determined | | | | | This well was drilled under my residuation and this report is true to the best of my knowledge and belief. | | | |
| Topography: | | | | | | Layne Western Co. 102 | | | |
| HillSlope | | | | | | Business name Address Wichita, Kansas 4 | | | |
| Upland | | | | | | Signed 1 | V=1 3.6 | Fe 25 -1 | |
| XX_Valley | | | | | | Authorized rep | resentative | 4 | |