## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Pattawatamie

County:

Location listed as:	Location changed to:
Section-Township-Range: 18-105-//	18-95-11E
Fraction ( 1/4 1/4 1/4):	NE NW NW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Written & legal description	ins, position on plat map,
well owner's address and area map o	n interact, and Belvue \$
well owner's address and area map o Laclede 1:24,000 topo maps (buildings	chown on man initials: DRL date: 8/30/2005
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Coto: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jack	onstant Ave., Lawrence, KS 66047-3726 kson, Suite 420, Topeka, KS 66612-1367.

			WATER	WELL RECORD	Form WWC-	KSA 82a-			i
		ER WELL:	Fraction		Se	ction Number	Township		Range Number
	ottawa			NW 1/4 NV		18	т 1	0 s	R 11 E/W
			vn or city street add		ted within city?				4
		NER: Ray R	f Belvue,	V9.					
_		_	Onaga Rd.				Board of	Agriculture I	Division of Water Resources
			e, KS. 664	107				on Number:	Sivision of Water Hesediese
					77	# ELEVAT			
AN "X" I	8	BOX:   NE   SE   SE	Depth(s) Groundway WELL'S STATIC V Pump 1 Est. Yield 20-2 Bore Hole Diamete WELL WATER TO 1 Domestic 2 Irrigation Was a chemical/bay mitted	ater Encountered VATER LEVEL test data: Well wa 2.5 gpm: Well wa er 1.0 in. to 9 BE USED AS: 3 Feedlot 4 Industrial acteriological sample	1	elow land surface	ace measured of ter	ft. 3 on mo/day/yr hours pu hours pu hours pu 11 12 ill if yes ted? Yes	mping gpm mping gpm to .ft.  Injection well Other (Specify below) mo/day/yr sample was sub-
TYPE O	F BLANK C	ASING USED:		5 Wrought iron	8 Concr	ete tile	CASING J		d . * Clamped
1 Ste	el	3 RMP (S	<b>R</b> )	6 Asbestos-Cement		(specify below			ed
2 PV		4_ABS		7 Fiberglass					aded
									in. to ft.
	•			n., weight 4.					0
		R PERFORATIO			7 PV			sbestos-ceme	i
1 Ste		3 Stainless		5 Fiberglass		MP (SR)			an hole)
2 Bra		4 Galvaniz RATION OPENIN		6 Concrete tile	9 AE	55	8 Saw cut	one used (op	11 None (open hole)
	ntinuous slo		lill slot		zed wrapped wrapped		9 Drilled holes		11 None (open note)
	vered shutt	_	ey punched		ch cut				
		ED INTERVALS:							o
6 GROUT	MATERIAL		From 20 From	ft. to  Cement grout	7.7 3 Bento	ft., From	n	ft. t	o
Grout Inten				ft., From	ft.				ft. toft.
		urce of possible		7 Pit priva		10 Livesto	ock pens storage		bandoned water well
	ver lines	4 Later 5 Cess		7 Pit privy 8 Sewage la			-		ther (specify below)
		er lines 6 Seep	•	9 Feedyard	goon		er storage icide storage		(Specify Delow)
Direction from	_	West	age pit	3 i eedyald			y feet? 200		
FROM	TO	HCSC	LITHOLOGIC LO	OG	FROM	то		PLUGGING I	NTERVALS
0	6	Topsoil							
6	22	Brown C	lay						
22	25		ine-Med.)						
25	60	Brown C							
60	61	Blue Cl							
61	65	-	edCorse)		-				
65	77	Blue Cl							
77	79	Shale &	Limestone	<u> </u>					
				. ,					
			4411						
				٧					
completed	on (mo/day/	<sub>vear)</sub> 9 / 1	R'S CERTIFICATIO 3/94 518			and this record	d is true to the b	est of my kn	der my jurisdiction and was owledge and belief. Kansas 1
			ue Valley	Drilling	AAAII WACOLO Ma	as completed o by (signatt		1-	
under the b					Place fill in blooks			Send top three	copies to Kansas Department
of Healti	h and Environn	nent, Bureau of Water	r, Topeka, Kansas 66620-	0001. Telephone: 913-29	6-5545. Send one to	WATER WELL OV	VNER and retain one	for your record	s.