	WATE	ER WELL RECO	ORD Fo	rm WWC-5	KSA 82a	-1212 ID	No				
LOCATION OF WATE		Fraction 1/4	NW 1/2	5W	Se	ction Number	Towns	ship Number	Range N	lumber	
Distance and direction fro									•		
JEF	FREY 1	energy	(CE	NTER			¥				
2 WATER WELL OWNE	R: WEST	AR EL	<i>jerg</i>	7	No 201	acoo.					
RR#, St. Address, Box # City, State, ZIP Code	: 818 SI	DUTH KA	NSAS NSAS	ANE,	NOW! Bo Box	887		d of Agriculture, I cation Number:	Division of Water	r Resources	
3 LOCATE WELL'S LOCA						ft. ELEV	ATION:				
AN "X" IN SECTION BO	OX: [Depth(s) Ground	dwater Enc	ountered	11		ft. 2	ft. 3	3	<u>.</u> ft.	
N I	<u> </u>	VELL'S STATIC	WATER LE	EVEL (d)	1ft. be	low land surfa	ace measured	on mo/day/yr	3/21/200/		
1 /	'							hours p			
NW		WELL WATER T		D AS: 5	Public water	supply	8 Air condi	tioning 11 li		gp	
	<u> </u>	1 Domestic	3 Feed	llot 6	Oil field wate	er supply	Dewateri	ing 12 (Other (Specify be	elow)	
W +	 E	2 Irrigation	4 Indu	striai /	Domestic (la	wn & garden)	Monitorii	ng wellM.W			
- X sw	SE		//			D	. No.	V			
Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs sample wa Water Well Disinfected? Yes No											
		intio G				•	TUICH TYON DIC		'	110	
S 5 TYPE OF BLANK CAS	SINC LISED:		E Meninda	· Indu	0. Cana		CACIA	NG JOINTS: Glue	- Clam		
1 Steel	3 RMP (SR)		5 Wrought6 Asbesto		8 Conci 9 Other	rete the (specify belo			ded Clamp		
2 PV	4 ABS		7 Fibergla	ss			······	Thre	eaded X		
Blank casing diameter											
Casing height above land			in., wei	ght			lbs./ft. Wall	thickness or gua	ge No		
TYPE OF SCREEN OR PERFORATION MATERIAL:			E Eibauala			(7_₽¥7C ≠ 8 RMP (SR)		10 Asbestos-Cement			
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel			6 Concret		, 6 A			11 Other (Specify)			
SCREEN OR PERFORAT					ed wrapped	_	8 Saw cu	, ,	11 None (ope	n hole)	
1 Continuous slot	slot	6 Wire wrapped			9 Drilled	holes	` .	•			
2 Louvered shutter		punched		7 Torch	cut			specify)			
SCREEN-PERFORATED	INTERVALS:	From	1.7	ft. to	82.0	ft., Fror	m	ft. to		ft.	
00.0751.0101		From	CLAN LOC	ft. to	I MAY C	ft., Fror	m	ft. to)	ft.	
GRAVEL PACK	INTERVALS:	From	MANAGE CO.	TANKE to		##.M. ft., From	ท n	ft. to) >	ft.	
6 GROUT MATERIAL:	1 Neat c		2 Ceme	nt grout	& Be	tonite					
Grout Intervals: From			U ft., F	rom	ft.						
What is the nearest source	•			7 Dia			stock pens		Abandoned wate		
1 Septic tank 4 Lateral lines			7 Pit privy				-	age 15 Oil well/Gas well			
	2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit			8 Sewage lagoon 9 Feedyard			12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Landil Reclaim				
Direction from well?	Je bu		3 i eeuyan	•			DO &	waaxaa ja jamaa	Area		
FROM TO	ж <u>і</u> ң	LITHOLOGIC	LOG		FROM	то	any root.	PLUGGING IN	NTERVALS	Incar	
0 20	Clay u	T		a weat							
20 24.2	Crouse	ري)	Q U							
24.2 34.8	Easly (seck St	rale								
348 462	Badet 1	<u>-</u> S									
46.2 57.3	Steams	Shale									
57.3 80.0	Beattie										
80.0 820	ESKrida	e Shale					**				
		-									
7 CONTRACTOR'S OF		S CERTIFICAT	ION: This :	water well	as (1) const	ructed (2) ro	constructed o	ar (3) pluggod up	der my juriediet	ion and was	
CONTRACTOR'S OR completed on (mo/day/yea	r) 3/4/20	207		valei Well Wi	us (۱) CONSU	and this r	record is true to	or (3) plugged un the best of my k	nowledge and h	elief. Kansas	
Water Well Contractor's Li	cence No	\$29					ted o <u>n (m</u> o/da		407,		
under the business name		ELHNOL		JG		•	(signature)	Jamie			
INSTRUCTIONS: Use typewrit	ter or ball point pen.	PLEASE PRESS FIF	RMLY and PRII	VT clearly. Please							
and Environment, Bureau of W records. Fee of \$5.00 for each		in, 1000 SW Jackson	n St., Suite 420	, ſopeka, Kansa	s 66612-1367. T	elephone 785-296	i-5522. Send one t	o WATER WELL OWN	.⊨R and retain one fo	r your	