

USE TYPEWRITER OR BALL  
POINT PEN-PRESS FIRMLY,  
PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and  
Environment-Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well:		County <b>POITAWATOMIE</b>	Fraction <b>NW 1/4 NW 1/4 NW 1/4</b>	Section number <b>15</b>	Township number <b>T 9</b>	Range number <b>R 12</b>	EW <b>EW</b>
2. Distance and direction from nearest town or city: <b>2.5 S .4 W</b>				3. Owner of well: <b>R.D. COLE</b>			
Street address of well location if in city: <b>OF EMMETT</b>				City, state, zip code: <b>RRI ST. MARY'S, KS.</b>			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. <b>8</b> in. Completion date <b>4-28-78</b>			
				7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			
5. Type and color of material		From To		8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
Top soil		0 5		9. Casing: Material <b>PVC</b> Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <b>24</b> in. RMP <input type="checkbox"/> PVC <b>9L</b> Weight <b>2.58</b> lbs./ft. Dia. <b>5</b> in. to <b>180</b> ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. <b>1274</b>			
Clay Brown		5 16		10. Screen: Manufacturer's name <b>PUMPCO MPI</b>			
Shale, grey, limestone, grey		16 75		Type <b>PVC</b> Dia. <b>5</b> Gauge <b>.020</b> Length <b>40</b> Set between <b>120</b> ft. and <b>160</b> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material <b>.030 to .080</b>			
Limestone, shaley, shale, grey		75 120		11. Static water level: <b>120</b> ft. below land surface Date <b>4-28-78</b>			
Limestone, grey		120 130		12. Pumping level below land surfaces: ft. after hrs. pumping <b>3</b> g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.			
Sandstone		130 139		13. Water sample submitted: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Date			
Shale, grey, limestone, grey		139 180		14. Well head completion: <b>CAP</b> Pitless adapter <b>24</b> inches above grade			
				15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <b>0</b> ft. to <b>10</b> ft.			
				16. Nearest source of possible contamination: ft. <b>200</b> Direction <b>SW</b> Type <b>SEPTIC</b> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>STRAKER DALE CO INC 182</b> Business name License No. Address <b>RRI 1 Holton, KS</b> Signed <b>Dale Rahm</b> Date <b>5-1-78</b> Authorized representative			