WATER WELL RECORD	Form WV	VC-5	Div	rision of Water	r Resources App. N	О.	
1 LOCATION OF WATER WELL: County: Jackson	Fraction NW/45W 1/4 NW		Sectio	n Number	Township No.	Range Number R / DE W	
Street/Rural Address of Well Location; if unknown, distance & direction			Global	Positioning	System (GPS) ir		
from nearest town or intersection: If at owner's address, check here X .				Latitude: (in decimal degrees)			
			Longitude: (in decimal degrees)				
			Datum	Elevation:			
2 WATER WELL OWNER: Jeff Jager			Collect	Collection Method:			
2 WATER WELL OWNER: Jeff Jager RR#, Street Address, Box #: 13274 U Rond			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code : Hort		_				5-15 m, >15 m	
2 TOCATE WEST	•				~ ~ ~ ~ ~		
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL	250		ft.			
SECTION BOX: Depth(s) Groundwater Encountered (1)Noneft. (2)ft. (3)ft. N WELL'S STATIC WATER LEVELNoneft. below land surface measured on mo/day/yr							
WELL'S STATIC WATER LEVEL. It. below land surface measured on mo/day/yr							
The state of the s							
W NW - - NE - 32 EST. YIELD.							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Sw Sp Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Irrigation Industrial Domestic-lawn & garden Monitoring well Issee.							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted Water well disinfected? Yes No							
Water went distincted: 1 to 2 140							
5 TYPE OF CASING USED: Steel PVC Dother H.D Valyc. th.y/e.n.e CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter 3.4 in. to 35.2 ft., Diameter ft., Diameter ft.							
Casing diameter and surface							
TYPE OF SCREEN OR PERFORATION MATERIAL: No n e							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From 2.50 ft. to ft., From ft., From ft., From ft.							
What is the nearest source of possible contamination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
Sewer lines Cesspool Sewage lagoon Fuel storage Watertight sewer lines Seepage pit Feedyard Fertilizer sto				Oil well/g			
Direction from well			-	_		************	
FROM TO LITHOLOG	HC LOG	FROM	ТО	LITHO. Ļ	OG (cont.) <u>or</u> PLU	UGGING INTERVALS	
0 7 So. 146/107		124	147	500dy 31	wle		
7 11 Lineatons		147	151	Lincole			
11 27 Sandy clay		151	122	Slole			
37 29 Limphie		185	150	Lineato	<u>~~</u>		
23 74 59 ady state		205	209	Shelly.			
74 82 Limestanes 82 94 Shale	· was a partie of	201	250	20 mg 12			
94 96 Limestone							
96 124 shale		<i>350</i>	Э	3-350	buses Pl	moed with	
124 127 Limentone				Hish	501,ds	Bichtan't o	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year) .) b.: 1.4							
Kansas Water Well Contractor's License No. 5.6.1. This Water Well Record was completed on (mo/day/year) 10.1.7-11							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							