USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

22

(mater Well RECORD KSA 820-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	NIF NE SET		2	Topeka, Kansas 66620	
1. Location of well: Lefferson	Fraction  AF 1/SW174 H	Sectio	n number	Township number	Range number
Distance and direction from nearest town or city:	HE VADICITATE	3. Owner of we	2		s R / / 🗗 W
/\		R.R. or street:	ne	einen, Dan	
Street address of well location if in city:  City			code:	ValleyFa	11s KANSAS
. Locate with "X" in section below:	Sketch map:				in. Completion date 7/8/7
N	**			Well depth 51 ft.	
NW NE E				7. X Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary  8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock	
				Lawn	Oil field water Other
5W   5E					IC Height: Above or below
					Surface 30 in. Weight Sch 40s./ft.
S 1 Mile					depth! Wall Thickness: inches or
. Type and color of material		From	То	Dia in. to ft. d	
			ļ	10. Screen: Manufacturer	s name <u>Modern</u>
Top Soil		0	3	Pipe Type PVC	Dia. 511
104 2011			1	Slot/gauze	Length 201
Brown Clay and Fine Sand			8	Set between311	<b>X</b> ft. and <u>51</u> ft.
Yellow Clay			14	Gravel pack? Ye.Size	range of materialft.
Gray Clay			20	11. Static water level:	mo./day/yr. surface Date <u>7/8/76</u>
Sand Rock and Gravel			26	12. Pumping level below l	and surfaces:
Gray Shale with Fine Sand			45		_ hrs. pumping g.p.m. _ hrs. pumping g.p.m.
Gray Bhare with Fi	no bana	26	+ ~ /	Estimated maximum yield -	
Blue Lime		45	48	13. Water sample submitted Yes X No	
Gray Shale		48	51	14. Well head completion:	
•				X Pitless adapter	Inches above grade
			<del> </del>	15. Well grouted? Yes	Bentonite Concrete
				With: Neat cement?  Depth: From3 ft.	to 13 ft.
					ible contamination: Ditch
				ft Direction _ Well disinfected upon com	
				17. Pump:	Not installed
				Manufacturer's name	Goulds, On
				Model number 7EH	HP \$ Volts 234
				Length of drop pipe —————————————————————————————————	5 ft. capacity 10_g.p.m.
				Submersible	Turbine
				Jet	Reciprocating
	d sheet if needed)		.1	Centrifugal	Other
18. Elevation: 19. Remarks: Slab to	be installed	by cust	omer	20. Water well contractor  This well was drilled under	's certification: r my jurisdiction and this report
96 \ He knows this is a regulation.				is True to the best of my kr	
Topography:				Cumming	Willingt 148
— Hill				Business name	Lovel Store No.
Slope Upland				Address A of the	4moin 2 26/2
X Valley				Signed Authorized	representative
rward the white, blue and pink copies to the Departme	ent of Health and Environment				Form WWC-5
hard the white, blue and prink copies to the Departme	or rearm and Environment			1	. 3 1111 -