WATER WELL RE		WWC-5		sion of Water			MW-26	
Original Record		ge in Well Use		irces App. No.	T 1: N 1	Well ID	1-	
1 LOCATION OF WATER WELL: County: Jefferson		Fraction SW ¹ / ₄ SW ¹ / ₄ SW ¹ / ₄	4 SW 1/4 33 T 09		Township Numb			
2 WELL OWNER: Last Business:	Name: Edmonds	Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:						
Address: 816 Cherok	503 Walnut S							
1 1001 000;				skaloosa, KS				
3 LOCATE WELL WITH "X" IN	25 ft.	5 Latitude: 39.21640 (decimal degrees)						
SECTION BOX: Depth(s) Groundwater Encountered: 1)				t. Longitude: 95.31023 (decimal degrees) Well Horizontal Datum: WGS 84 NAD 83 NAD 27				
N	WELL'S STATIC WATER LEVEL: 8.91 ft				Source for Latitude/Longitude:			
	below land surface, measured on (mo-day-yr)				· □ GPS (unit make/model:			
	Pump test data: Well	water was f	t.	■ Land Survey □ Topographic Map				
W E		s pumping water was f		☐ Online Mapper:				
SW SE X	after hour Estimated Yield:	rs pumping	gpm	6 Elevation: 1101.38				
S	.8.25 in. to25	3.25 in to 25 ft and Source: Land			Survey GPS Topographic Map			
1 mile in. to ft.								
1. Domestic:		ater Supply: well ID		10. □ Oil Fi	eld Water Supply: 1	ease		
☐ Household 6. ☐ Dewatering: how many wells?				11. Test Hole: well ID				
☐ Lawn & Garden ☐ Livestock 7. ☐ Aquifer Recharge: well ID				☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?				
2. ☐ Irrigation 9. Environmental Remediation: well ID				a) Closed Loop				
3.				b) Open Loop				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
Water well disinfected? ☐ Yes No								
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other								
Casing diameter 2 in to 25 ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 4 in Weight lbs./ft. Wall thickness or gauge No. Sch. 40								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From .10 ft. to .25 ft., From .ft. to								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other Concrete pad, flush mount								
Grout Intervals: From								
Nearest source of possible contamination: □ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well ☐ Other (Specify) Trust.fund.site. □ O44-14690								
Direction from well? On-s	site	Distance from w	ell? .0		fi	i		
10 FROM TO G	LITHOLO rass/ soil	OGIC LOG	FROM	TO LI	THO. LOG (cont.) c	r PLUGGIN	<u>G INTERVALS</u>	
		brown to olive brow	n					
TD 25								
			1					
		A C C C C C C C C C C C C C C C C C C C	-					
	Notes: Walnut Street Station (U4-044-14690)							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) 7/23/19								
under the business name of Associated Environmental inc.								
Mail 1 white copy along with 1 fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment: Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Wall one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdlecks.gov/waterwell/index.html KSA 82a-1212							1 7/10/2015	