KOLAR Document ID: 1602546

	WELL R			WWC-5		vision of Wat						
—		Correction		ge in Well Use		ources App. 1			Well ID			
1 LOCATION OF WATER WELL:FractionCounty:1/41/41/4					ction Numb	er	Township Numb		ge Number			
e o unity :							$\begin{array}{c c c c c c c c c c c c c c c c c c c $					
Z WELL Business:							Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:					
Address:	u u u						incention noin nearest town of intersection). If at owner's address, encek here.					
Address:												
City:		1	State:	ZIP:								
3 LOCAT		4 DEPTH	OF CON	IPLETED WELL: .	ft	ft. 5 Latitude :(decimal degrees)						
	WITH "X" IN SECTION BOX: Depth(s) Groundwater Encountered: 1)											
	N 2) ft. 3) ft., or 4) \Box							WGS 84 🗌 NAI		AD 27		
		WELL'S ST			Sourc	e for	Latitude/Longitude	:				
		 below land surface, measured on (mo-day-yr) above land surface, measured on (mo-day-yr) 					$\Box \text{ GPS (unit make/model:)}$					
NW	NE	Pump test da				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map						
w	Е	~	hours			Online Mapper:						
		Well water was ft.										
SW	SE X	after	gpm	6 Elevation: ft Cround Level TOC								
		Estimated Yield:gpm			C 1	6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map						
	S nile	Bore Hole Diameter: in. to in. to										
Image:												
1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease												
	□ Household											
	□ Lawn & Garden 7. □ Aquifer Recharge:						Cased Uncased Geotechnical					
	Livestock 8. Monitoring: well ID							al: how many bores				
	2. Irrigation 9. Environmental Remediation: well ID					a) Closed Loop 🔲 Horizontal 🗌 Vertical						
3. Eredlot Air Sparge Soil Va 4. Industrial Recovery Injection					Extraction							
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:												
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot I Mill Slot Gauze Wrapped Torch Cut I Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
		e contaminati		potential source of con								
Septic '			Lateral Line			Livestock Pe			ide Storage			
Sewer]			Cess Pool	Sewage Lag		Fuel Storage			oned Water	Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well?												
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		G INTERVALS		
	-	-		-		-						
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged												
under mv i	urisdiction ar	id was compl	eted on (m	no-day-year)	and	this record	is tru	ie to the best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ter Well Red	cord was co	mple	ted on (mo-day-ye	ear)			
under the b	usiness name	<u>e of</u>			· · · · · · · · · · · · · · · · · · ·	·····		·····				
KS Departm				ELL OWNER and retain of Vater Geology Section 10						785-296-3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												