WATER WELL RECORD		Form WWC-5		Division of Water Resources; App. No.			
1 LOCATION OF WA		Fraction		tion Number	Township Number	Range Number	
County: Leaven	from nearest town or c	SE 1/4 SW 1/4 N	P 1/4	14	T 9 S	R A CEW	
	from nearest town or c	ity street address of we	ll if Glob	oal Positioning	Systems (decimal degi	rees, min. of 4 digits)	
located within city?	and 1 M	1 1 10	Lat	titude:			
located within city?	13 St. 1116	clonth, Ks. 1	06054 Lo	ngitude:			
2 WAIER WELL OF	T WOSHL WALL	hnk	Ele	evation:			
RR#, St. Address, Bo	x# :a7133 1	143		tum:			
City, State, ZIP Code	· Ma 1 ». 1	VI LLASH	Da	ta Collection	Method:		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELLS							
LOCATION	Pin	gged	, ,		3 - 100	BUILS	
WITH AN "X" IN	Depth(s) Groundwater Encountered (1). No. 1. (2)						
SECTION BOX:	WELL'S STATIC WATER LEVEL NAMEft. below land surface measured on mo/day/yr						
N	Pump test data: Well water wasft. after hours pumping gpm						
	Est. Yield No. Legpm: Well water was						
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
\mathbf{W}							
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Cosed Long. Heat. In Monitoring well							
l av l ar l l							
Sample was submitted							
S							
5 TYPE OF CASING U	JSED: 5 Wrought	t Iron 8 Conc	rete tile	CASIN	G JOINTS: Glued,	Clamped	
1 Steel 3 RM	P (SR) 6 Asbestos	s-Cement Oother	(specify,bel	ow)	Welded:	45.121	
2 PVC 4 ABS	7 Fiberglas	ss H.DY	oly.ex.hg/	e.p.Q	Threaded	L	
Blank casing diameter	in. to 5.4	ft., Diameter	in. to	o ft.	, Diameter	in. toft.	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued							
TYPE OF SCREEN OR PERFORATION MATERIAL: DOTE							
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: いんい							
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other							
Grout Intervals: From	om 180 ft. to	ft. From	ft. t	0	ft. From	ft. toft.	
Grout Intervals: From . K							
Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify							
(Z) Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well						below)	
	lines 6 Seepage pit		2 Fertilizer S	Ų.	oil well/gas well		
Direction from well?			How many fe	~ , _	/		
FROM TO	LITHOLOGI		FROM	ТО	PLUGGING INT		
0 4	Su. 1 + Clan /8			-			
4 5	Limestone 19	· · · · · · · · · · · · · · · · · · ·		-			
5 8 8 25	Chara Go	1-106 Shole					
5 8 8 25	< / // (I/A)	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				., .,	
25 28	- 10.	-114 Limestane 1-180 Stale	180	3 5 B	ores Plagged	442 4-1	
	hale	1-100 state	100	5 B	ores inglica	W'' 13 175A	
	- \		-	1.	1 d= 2 - 1 = +	.0	
	ndstane (-	301	TO THE LEWIN	<u> </u>	
55 64 1	gatero						
<u>4</u> 21 5h			-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No 5							
under the business name of by (signature by (signature) by (signature)							
INSTRUCTIONS: Use type writer or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top							
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone							
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at							
http://www.kdhe.state.ks.us/geo/waterwells.							