					R WELL RECORD	Form WWC-	5 KSA 82a	a-1212		
1 LOCAT	ION OF	WAT	ER WELL:	Fraction			ection Number	·	Range Number	
			owerth	NE 1/4		NW 1/4	1	T 9 S	R 21 (E/W	
Distance					ddress of well if loo	ated within city?	•			
d 14/4-F				st of Leav						
2 WATE RR#, St.			4 0,	nnie James	_			Board of Agricultura	Division of Water Bassurasa	
City, State			* Kol	ute 4, Box	105	CALIS			Division of Water Resources	
				AV COWOTTA,	Kansas 6	9 <u>846</u> 188	4 FI FX /A	ATION:		
AN "X	IN SE	CTION	BOX:	Depth(s) Ground	water Encountered	78	11. ELEVA	2	3 #	
7 (ऋ	' 	WELL'S STATIC	WATER I EVE	17 #	helow land su	rface measured on mo/day/y	, 5-11-8 3	
1	i	-	i	B.					numping gpm	
	NW		NE	1					numping gpm	
	- ;	ı	- i I.					-	n. to	
₹ w h	T	\neg	<u> </u>		O BE USED AS:		ter supply			
7	1		l l	1 Domestic	_ 3 Feedlot	6 Oil field w	ater supply	9 Dewatering 12	Other (Specify below)	
	5W		25	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Observation well		
↓ l	i			Was a chemical/b	acteriological samp	ole submitted to I	Department? Y	esNo ኧኧ ; If ye	s, mo/day/yr sample was sub-	
		S		mitted			Wa	ater Well Disinfected? Yes	XX No	
5 TYPE	OF BLA	NK C	ASING USED:		5 Wrought iron	8 Cond	rete tile	CASING JOINTS: Glue	ed Clamped	
1 St			3 RMP (S	iR)	6 Asbestos-Ceme	ent 9 Othe	r (specify below	•	ded	
2 P	VC		4 ABS	100	7 Fiberglass				eaded	
Blank cas	ing diar	neter		in. to 100	ft., Dia	in. t	0	ft., Dia	. in. to ft.	
			nd surface		in., weight			/ft. Wall thickness or gauge		
		EN OF	R PERFORATIO					10 Asbestos-cem		
1 Steel 3 Stainless s 2 Brass 4 Galvanized					5 Fiberglass6 Concrete tile	•		12 None used (c	()	
		BE∩E				auzed wrapped		8 Saw cut	11 None (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped								9 Drilled holes	11 None (open note)	
	uvered			(ey punched		orch cut				
			D INTERVALS:				ft., Fro		toft.	
				From	ft. to	.	ft., Fro	m ft.	toft.	
	GRAVE	L PAG	CK INTERVALS:	: From .	ka x. 15 ft. to	, 100	ft., Fro	m ft.	toft.	
				From	ft. to		ft., Fro		to ft.	
6 GROU					2 Cement grout	+			· · · · · · · · · · · · · · · · · · ·	
			_		ft., From	ft.			ft. to	
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water we										
	eptic tar		4 Late					Fuel storage 15 Oil well/Gas well		
	wer lin		5 Cess	•	5 5			Pretilizer storage 16 Other (specify below) Insecticide storage		
	•		er lines 6 Seep	page pit	9 Feedyard	1		· · · · · · · · · · · · · · · · · · ·	downhill	
Direction FROM	TC		South	LITHOLOGIC I	LOG	FROM	TO TO	iny feet? 250 ft. LITHOLO		
0	3		Top So							
3	16	01	Clay							
16	27		•	Grave1						
27	40		Light							
40	50		Blue S							
-50-	90	20	Line							
90	100	19	Shale							
90	100		Duet 6				_			
	<u> </u>									
	<u> </u>									
	 						-			
	 									
	1				 		-			
	 									
	1			DIO 000000000000000000000000000000000000			1 12			
									nder my jurisdiction and was	
									nowledge and belief. Kahsas	
						T Well Hecord W		on (mo/etyryr)	10/2/11/1	
under the	DUSINES	ss nar	ne ot voewriter or ball	point pen. PLEAS	EPRESS FIRMI V	and PRINT clea	by (signa rlv. Please fill i	n blanks, useerine origina t	he corrected swers. Send top	
three copi	es to Ka	ınsas	Department of H	ealth and Environm	ent, Division of Env	ironment, Enviro	nmental Geolog	gy Section, Topeka, KS 66620	D. Send one to WATER WELL	
OWNER	and reta	ain on	e for your recor	ds.				4.		