			R WELL RECORD F	orm WWC-5				
	WATER WELL:	Fraction			tion Number	' '	-	Range Number
County: Lead	en worth	1 NW 1/4	5W 1/4 SE	1/4	<u>5</u>		(9)	R 2 ( 🖆
Distance and dire	ection from nearest tov	wn or city street a	ddress of well if located	within city?	126 2	is n of	S Pringo	th le
WATER WEL	L OWNER: WAYNE	ReNO						
RR#, St. Addres	s, Box # : RTT	BOX 1960				Board of	Agriculture,	Division of Water Resou
City, State, ZIP (	code : Eastor	U 66020					n Number:	
LOCATE WEL	L'S LOCATION WITH	4 DEPTH OF C	OMPLETED WELL	78	ft. ELEVA	TION:		
AN "X" IN SE	CTION BOX:	Depth(s) Ground	water Encountered 1	.50	5 ft 2	)	ft 3	
<del>.</del>	<del>'</del>	WELL'S STATIC	WATER LEVEL /	5 ft h	elow land sur	face measured o	mo/day/yr	3-27-85
1   i			g test data: Well water					
NW	NE		gpm: Well water					
!   !								
* w   1	E		eteretcin. to					
-		1		Public water		8 Air conditioning		Injection well
sw	x - SE	1 Domestic				9 Dewatering		Other (Specify below)
	<b>X</b>	2 Irrigation				10 Observation w		
· L		Was a chemical/l	bacteriological sample su	bmitted to D				
,	S	mitted			Wa	ter Well Disinfector		
TYPE OF BLA	ANK CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JC	INTS: Glue	d Clamped
1 Steel	3 RMP (S	R)	6 Asbestos-Cement	9 Other	(specify below	v)	Weld	ed
2 PVC	4 ABS		7 Fiberglass					aded
3lank casing dia	neter 5	.in. to <b>0/8</b>	ft., Dia <b>5</b>	in. to	28-78	ft., Dia		in. to
Casing height ab	ove land surface	24	.in., weight		2. <i>9.2</i> <sub>lbs./</sub>	ft. Wall thickness	or gauge N	o. •358
TYPE OF SCRE	EN OR PERFORATIO	N MATERIAL:	-	7 PV	C	10 As	bestos-ceme	ent
1 Steel	3 Stainles	s steel	5 Fiberglass	8 RM	IP (SR)	11 Oth	ner (specify)	
2 Brass	4 Galvaniz	zed steel	6 Concrete tile	9 AB	• •		ne used (op	
SCREEN OR PE	REPORATION OPENIN	NGS ARE:	5 Gauzed	wrapped		8 Saw cut		11 None (open hole)
1 Continuo	us slot 3 M	fill slot	6 Wire w	• •		9 Drilled holes		
2 Louvered		(ey punched	7 Torch o				v)	
	RATED INTERVALS:		8ft. to?		ft Fro			
OOTILETY ETHIC	TOTTLE HATEITALO.		ft. to					
GRAVE	L PACK INTERVALS:	From 1	Ø ft. to ?	8	ft From	m		0
GIAVE	L I AON INTERVALS.	From	ft. to		ft., Fro			o
GROUT MATE	ERIAL: 1 Neat			3 Bento				
	_		ft., From					
	est source of possible		IL., FIOIII	IL.				bandoned water well
	•		7 Pit privy			tock pens		
1 Septic ta				_		storage		
2 Sewer lin		•	8 Sewage lagoo	n		izer storage		other (specify below)
-	nt sewer lines 6 Seep	page pit	9 Feedyard			ticide storage		
Direction from w		LITUOLOGIO	100			ny feet? \30	LITUOLOG	
FROM TO		LITHOLOGIC	LOG	FROM	то		LITHOLOG	ilC LOG
0 2	top Soil				<u> </u>			
2 18								
18 20	Cherty is, bi	1000 - 59PA	ท		ļ			
20 26	Shale yell	low						
26 80	Shale 914	24						
							,	
			<u> </u>					
						V		
T	1							
CONTRACTO	R'S OR LANDOWNE	R'S CERTIFICATI	ON: This water well was	(1) constru	cted, (2) reco	onstructed, or (3)	plugged und	der my jurisdiction and
							est of my kn	owledge and belief. Kan
			This Water We		•	. /		7 - 8-5
inder the busine	ss name of 5 TrAC	der Drig	1 Co., In	Ne.	by (signa	ture) Lale	do	kren
INSTRUCTIONS	: Use typewriter or ball	point pen, PLEAS	E PRESS PIRMLY and	PRINT clear				
hree copies to Ka	ansas Department of He	ealth and Environn	nent, Division of Environm	ent, Environ	mental Geolog	gy Section, Topeka	a, KS 66620.	Send one to WATER W