


1 LOCATION OF WATER WELL: County: Leavenworth	Fraction SW 1/4 SW 1/4 NE 1/4	Section Number 1	Township Number T 9 S	Range Number R 22 EW
---	---	----------------------------	---------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?

4th & Marion Leavenworth, KS.

2 WATER WELL OWNER: Four B Corporation RR#, St. Address, Box # : 5300 Speaker Road City, State, ZIP Code : Kansas City, Kansas 66106	Board of Agriculture, Division of Water Resources Application Number:
---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: 29.5 ft. ELEVATION: Depth(s) Groundwater Encountered 1.17.0 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 17.6 ft. below land surface measured on mo/day/yr 11-24-89 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter: 7 in. to 29.5 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X
--	--

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS Blank casing diameter in. to 14.0 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface: 2.5 in., weight lbs./ft. Wall thickness or gauge No. SCH 40	5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded X
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 3 Mill slot 14.0 7 Torch cut 29.5 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 12.0 ft. to 29.5 ft., From ft. to ft.	

6 GROUT MATERIAL: 1 Neat cement <input checked="" type="checkbox"/> Cement grout <input checked="" type="checkbox"/> Bentonite 4 Other Grout Intervals: From 0 ft. to 10.5 ft., From 10.5 ft. to 12.0 ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? NW How many feet? 150'
--

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	12	Fill Silty clay brown w/rubble			
12.0	16	Silty clay yellow brown			
16.0	20.0	Silty clay gray			
20	29.5	Silty clay mottled gray & reddish yellow			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-20-89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 416 This Water Well Record was completed on (mo/day/yr) 1-10-90 under the business name of Terracon by (signature) <i>[Signature]</i>
--

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4