

284

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

SE
Cull
NE 1/4 - SW 1/4

this is correct

1. Location of well:		County Leavenworth	Fraction NE 1/4 SW 1/4 SW 1/4	Section number 9	Township number T 9 S R 22	Range number 22
2. Distance and direction from nearest town or city: Street address of well location if in city:				3. Owner of well: R.R. or street: City, state, zip code:		
1/2 mile west of Leavenworth, Kansas				Louis Wiley, Sr. 716 Shoemaker Leavenworth, Kansas		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. <u>8</u> in. Completion date <u>5-23-77</u> Well depth <u>139</u> ft.		
				7. <u> </u> Cable tool <input checked="" type="checkbox"/> Rotary <u> </u> Driven <u> </u> Dug <u> </u> Hollow rod <u> </u> Jetted <u> </u> Bored <u> </u> Reverse rotary		
5. Type and color of material		From	To	8. Use: <input checked="" type="checkbox"/> Domestic <u> </u> Public supply <u> </u> Industry <u> </u> Irrigation <u> </u> Air conditioning <u> </u> Stock <u> </u> Lawn <u> </u> Oil field water <u> </u> Other		
Clay		0	20	9. Casing: Material <u>PL</u> Height: Above or below Threaded <u> </u> Welded <input checked="" type="checkbox"/> Surface <u> </u> <u>18</u> in. RMP <u>6</u> PVC <input checked="" type="checkbox"/> Weight <u> </u> lbs./ft. Dia. <u>6</u> in. to <u>82</u> ft. depth Wall Thickness: inches or Dia. <u> </u> in. to <u> </u> ft. depth gage No. <u>.280</u>		
Sandy Shale		20	77	10. Screen: Manufacturer's name <u>NONE</u> Type <u> </u> Dia. <u> </u> Slot/gauze <u> </u> Length <u> </u> Set between <u> </u> ft. and <u> </u> ft. <u> </u> ft. and <u> </u> ft. Gravel pack? <u> </u> Size range of material <u> </u>		
Sandy Lime		77	78	11. Static water level: <u>70</u> ft. below land surface Date <u>5-23-77</u> mo./day/yr. <u> </u> / <u> </u> / <u> </u>		
Sandstone - Gray		78	112	12. Pumping level below land surfaces: <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u>1</u> before shot g.p.m.		
Sandy Shale		112	139	13. Water sample submitted: <u> </u> mo./day/yr. <u> </u> Yes <input checked="" type="checkbox"/> No Date <u> </u> / <u> </u> / <u> </u>		
(Use a second sheet if needed)				14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter <u>18</u> Inches above grade		
				15. Well grouted? <u>Yes</u> With: <input checked="" type="checkbox"/> Neat cement <u> </u> Bentonite <u> </u> Concrete <u> </u> Depth: From <u>3</u> ft. to <u>82</u> ft.		
				16. Nearest source of possible contamination: ft. <u>75'</u> Direction <u>north</u> Type <u>septic</u> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <u> </u> No		
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <u> </u> Model number <u> </u> HP <u> </u> Volts <u> </u> Length of drop pipe <u> </u> ft. capacity <u> </u> g.p.m. Type: <u> </u> Submersible <u> </u> Turbine <u> </u> Jet <u> </u> Reciprocating <u> </u> Centrifugal <u> </u> Other		
18. Elevation: <u>962</u>	19. Remarks:		20. Water well contractor's certification:			
Topography: <u> </u> Hill <u> </u> Slope <u> </u> Upland <u> </u> Valley	1 gpm before shot. 3 gpm after shot. 480 gallons - approximate storage. Set pump on 108 feet of pipe. (Customer to install pump himself.)		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. BREUER, INC. License No. <u>174</u> Business name <u> </u> Address <u>Box 117, Basehor, Ks. 66007</u> Signed <u>[Signature]</u> Date <u>5/24/77</u> Authorized Representative			

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

BR = 942 7 = 277

9-22-9
T
R
W
S
C