

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

H. O'Connor located at BDD #174
This loc. is 215 mi. N of shops
Not located on maps - see note
Kans. Reg. in manual code 15

1. Location of well: County Leavenworth		Fraction SE SE NW NE 1/4 NE 1/4 SW 1/4		Section number 30	Township number 9S High Prairie	Range number 22E E/W
2. Distance and direction from nearest town or city: 2.5 N of Leavenworth Co. Stop.				3. Owner of well: Robert G. Ryan R.R. or street: Route 1 City, state, zip code: Lansing, Kansas		
4. Locate with "X" in section below: N W E S 1 Mile		Sketch map: Neighbors don't know!		6. Bore hole dia. 8 in. Completion date Well depth 120 ft. 8-28-75		
5. Type and color of material		From		7. <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
		To		8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Top Soil - Black		0		9. Casing: Material PVC Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 18 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. 0 in. to 121 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 0.258		
Clay - Yellow		2		10. Screen: Manufacturer's name Vingplex Inc Type Slotted Pipe Dia. 5" Slot gauze 0.60 Length 7' Set between 35 ft. and 42 ft. ft. and <input type="checkbox"/> ft.		
Soft Silt - Yellow		15		Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/8-1/4		
Gravel with mud		35		11. Static water level: <input type="checkbox"/> mo./day/yr. 10 ft. below land surface Date 8-28-75		
Shale - Blue		42		12. Pumping level below land surfaces: <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 3 g.p.m.		
Lime - White		115		13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date		
Shale - Blue		116		14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 18 inches above grade		
				15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 20 ft.		
				16. Nearest source of possible contamination: ft. 400 Direction West Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Jacuzzi Model number 554B HP 1/2 Volts 230 Length of drop pipe 115 ft. capacity 10 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation: 970		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. BREUER DRILLING CO. 174 Business name License No. Address Box 147 Basehor, Ks. 66007 Signed [Signature] Date 9-15-75		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

1-9 22W E 30 NE NE SW 1/4 1/4 29/4