WATE	R WELL	RECORD Form WWC-	5 Div	ision of Wat	ter Resources; App. No.	
County:	Lea	WATER WELL: Fraction SE 1/4 SW 1/4	SE ¼	Section Nu 1	mber Township Number Range Number T 9 S R 22	
Distance a	and direction	n from nearest town or city street address o	f well if C	lobal Posi	tioning System (decimal degrees, min. of 4 dig	
located wi	ithin city? 2	2912 S. 4th St. Leavenworth, KS		Latitude:	N 39° 17′ 19.9"	
2 WATI	ER WELL	OWNER: KDHE		Elevation:	W 094° 54' 17.5" 800.78 pin / 800.46 toc	
		Box # : 1000 SW Jackson St., Ste 410	Ì	Datum:	Above mean sea level	
City, S	State, ZIP C	ode : Topeka, KS 6612-1367		Data Colle	ction Method: legal survey	
3 LOCA	3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 20 ft.					
LOCA				MW13		
1	I AN "X" I	N Depth(s) Groundwater Encountered 1			ft. 2 ft. 3 and surface measured on mo/day/yr 4/9/07	
SECT	ION BOX	WELL'S STATIC WATER LEVEL	13.17 F	t. below lar	nd surface measured on mo/day/yr 4/9/07	
	N	Pump test data: Well water	· was	ft. 8	after hours pumping g	
		Est. Yield gpm: Well water	was	ft. a	after hours pumping gr	
NN	V NE -	WELL WATER TO BE USED AS: 5	Public wa	iter supply	8 Air conditioning 11 Injection well	
w	W 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well					
		2 irrigation 4 industrial / Domestic	c (lawn & g	garden) (l	OMonitoring well	
sy	/ 	Was a shaminal/hasterialasiasl samul	a avlamitta	d to Domonto	mont? Voc. No. V . If you maddent	
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs					
S Sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped						
5 TYPE	OF CASI	NG USED: 5 Wrought Iron	8 Concre	te tile	CASING JOINTS: Glued Clamped	
1 Ste	eel	3 RMP (SR) 6 Asbestos-Cement	9 Other (specify bel	ow) Welded	
(2) PV	/C	4 ABS 7 Fiberglass			Threaded X	
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 20 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.32 ft., Weight lbs./ft. Wall thickness or gauge No.						
Casing hei	ight below is	and surface 0.32 ft., Weight		lbs./1	it. Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)						
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 5 ft. to 20 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 3 ft. to 20 ft. From ft. to ft. From ft. to ft. From ft. to ft.						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)						
SCREEN-	-PERFORA	TED INTERVALS: From 5	nt. to	20	II. From II. to	
C.D.	ATZEL DA	OV DITTRIVALE.	II. 10	20	II. From II. to	
GK	AVEL PA	CK INTERVALS: From 3	II. 10	20	II. From II. to	
		From	11. 10		it. From it. to	
6 GROU	UT MATE	RIAL: 1 Neat cement 2 Cement grout	(3)Bento	onite (4	Other cement, 0-1	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other cement, 0-1 Grout Intervals From 1 ft. to 3 ft. From ft. to ft. From ft. to ft.						
What is the nearest source of possible contamination:						
	tic tank	4 Lateral lines 7 Pit privy	10 Livesto		13 Insecticide Storage 16 Other (spec	
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well						
Direction from well? How many feet?						
					DI LICONIC INTERNALIO	
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	
1	10	Soil Clay, reddish brown, moist,		-		
1	10	low plasticity, no odor		1		
10	17	Clay, yellow brown, moist, low plasticity	,	1		
		no odor				
17	20	Clay, reddish brown, dry, low plasticity	,			
		no odor				
	ļ				Flushmount waires he D. Taulan	
	 				Flushmount waiver by D. Taylor	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged						
under my jurisdiction and was completed on (mo/day/year) 3/14/07 and this record is true to the best of my knowledge and belief.						
Kansas Wa	ter Well Cor	ntractor's License No. 757 . This W	ater Well Re	cord was co	ompleted on Ono day/year) 4/24/07	
under the b	under the business name of Larsen & Associates, Inc. by (signature)					
INSTRUCT	INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for					
your records	Fee of \$5.00	V Jackson St., Suite 420, Topeka, Kansas 66612-1367.) for each <u>constructed</u> well. Visit us at http://www.kd	neks.gov/wate	63-296-3322. erwell.	Schubing to WATER WELL OWNER and retain one	