		WAT	ER WELL RECORD Fo	rm WWC-5 KSA 8	2a-1212	Well 5D
LOCATION OF W		Fraction		Section Numb	er Township Number	Range Number
County: Leav			NE 1/4 SE	14 19	т ⁹ s	R 23 (E)W
		-	address of well if located v	•		
<u>Lans</u>	ing Correc	ctional F	acility - Area	R #5		
WATER WELL	OWNER:					
RR#, St. Address,	Box # :	State	of Kansas		Board of Agricultur	e, Division of Water Resources
City, State, ZIP Coo					Application Numbe	
LOCATE WELL'S	LOCATION WITH	DEPTH OF	COMPLETED WELL	.8 ft. ELE	VATION:784,165	
AN A IN SECT	N BOX:					. 3
i !		WELL'S STATI	C WATER LEVEL 3	94 ft. below land	surface measured on mo/day	/yr
\w -	- NE	Pur	mp test data: Well water v	vas ft	after hours	pumping gpm
	7	Est. Yield	gpm: Well water v	vas ft.	after hours	pumping gpm
e w		Bore Hole Diar	neterin. to	. <i>.</i>	., and	.in. to
* w !	!x	WELL WATER	TO BE USED AS: 5	Public water supply	8 Air conditioning	11 Injection well
		1 Domesti	c 3 Feedlot 6	Oil field water supply	9 Dewatering	12 Other (Specify below)
''' -	-1 %	2 Irrigation	4 Industrial 7	Lawn and garden only	10 Monitoring well	
	1 1	Was a chemica	l/bacteriological sample sub	mitted to Department?	Yes; If y	es, mo/day/yr sample was sub
	\$	mitted		\	Water Well Disinfected? Yes	No X
TYPE OF BLAN	CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: G	ued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify be	low) W	<u>elded </u>
(2 PVC)	4 ABS		7 Fiberglass		(Tr	readed
Blank casing diame	ter	in. to	ft., Dia	in. to	ft., Dia	in. to ft.
Casing height above	e land surface	3.01 ft.	in., weight	<u>.</u>	s./ft. Wall thickness or gauge	No
TYPE OF SCREEN			-	7 PVC	10 Asbestos-ce	
1 Steel	3 Stainles	ss steel	5 Fiberglass	8 RMP (SR)	11 Other (spec	ify)
2 Brass	4 Galvani	ized steel	6 Concrete tile	9 ABS	12 None used	
SCREEN OR PERF	ORATION OPENII	NGS ARE:	5 Gauzed	wrapped	8 Saw cut	11 None (open hole)
1 Continuous	slot 3 I	Mill slot	6 Wire wra	apped	9 Drilled holes	
2 Louvered st	nutter 4 h	Key punched	7 Torch cu	ut .	10 Other (specify)	
SCREEN-PERFOR		: From	3 ft. to	⁸	rom	t. to
						t. toft.
GRAVEL	PACK INTERVALS					t. toft.
		From	ft. to			t. to ft.
GROUT MATER	IAL: 1 Neat	cement	2 Cement grout	(3 Bentonite)		
Grout Intervals: F	rom XL . O	. ft. to			ft., From	ft. to ft.
What is the nearest						Abandoned water well
1 Septic tank 4 Lateral lines		eral lines	7 Pit privy	11 Fu	el storage 15	Oil well/Gas well
2 Sewer lines	2 Sewer lines 5 Cess pool		8 Sewage lagoor		12 Fertilizer storage 16 Other (specify below)	
3 Watertight s	ewer lines 6 See		9 Feedyard	13 Ins	secticide storage	
Direction from well?		. • .			nany feet? 500	
FROM TO		LITHOLOGIC	CLOG	FROM TO	PLUGGING	G INTERVALS
0 8	Lt. Bro	own Clay				
						,
			-			
	0.001				<u> </u>	
_	E 1	ER'S CERTIFICA 13-93	TION: This water well was			under my jurisdiction and was
completed on (mo/d	ay/your/					knowledge and belief. Kansas
Water Well Contrac			This Water Well			14000
under the business	name of LNV1	rocorp Ser	<u>vices & Technolo</u>	gy, inc. by(sig	nature)	YY I WALLACOT
					rcle the correct answers. Send top the	ree copies to Kansas Department
	onment Bureau of Water	r. Topeka, Kansas 66	620-0001, Telephone: 913-296-5545	 Send one to WATER WELL 	. OWNER and retain one for you	ords.