


1 LOCATION OF WATER WELL: County: CLAY	Fraction SE 1/4 SE 1/4 NE 1/4	Section Number 15	Township Number T 9 S	Range Number R 3 E
--	---	-----------------------------	---------------------------------	------------------------------

Distance and direction from nearest town or city street address of well if located within city?
6 South 3 east 1/2 South CLAY Center Ks.

2 WATER WELL OWNER: Kathy PATER	Board of Agriculture, Division of Water Resources Application Number:
RR#, St. Address, Box # : City, State, ZIP Code : CLAY CENTER	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: 160 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. 140 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 105 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield 40 gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 160 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well <input checked="" type="checkbox"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was sub- mitted Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED: 1 Steel <input checked="" type="checkbox"/> 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued X Clamped Welded Threaded	Blank casing diameter 5 in. to 150 ft., Dia Casing height above land surface 12" in., weight TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped <input checked="" type="checkbox"/> 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 150 ft. to 160 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 20 ft. to 160 ft., From ft. to ft.	

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <input checked="" type="checkbox"/> 3 Bentonite 4 Other	Grout Intervals: From 0 ft. to 20 ft., From ft. to ft.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens <input checked="" type="checkbox"/> 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage	Direction from well? NORTH How many feet? 12'-15'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	topsoil			
3	142	clay w/ rock layers			
142	160	limerock			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-12-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 361 This Water Well Record was completed on (mo/day/yr) 12-5-95 under the business name of Cox-Beswick Twp SERV by (signature) Anne Beswick

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.