


1 LOCATION OF WATER WELL: Fraction NE 1/4 NE 1/4 NE 1/4 Section Number 32 Township Number T 9 S Range Number R 3 E/W  
 County: Clay  
 Distance and direction from nearest town or city street address of well if located within city? From Wakefield 60 6 miles west on 82 Hwy then 1 mile north on 15 Hwy to Eight Rd.

2 WATER WELL OWNER: Mr. Raymond Adams Clay Co Pitts  
 RR#, St. Address, Box #: 1484 87th Rd. Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Wakefield, Kansas 67487 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL 140 ft. ELEVATION: .....  
 Depth(s) Groundwater Encountered 1 110 ft. 2 ..... ft. 3 ..... ft.  
 WELL'S STATIC WATER LEVEL 90 ft. below land surface measured on mo/day/yr .....  
 Pump test data: Well water was ..... ft. after ..... hours pumping ..... gpm  
 Est. Yield 15 gpm: Well water was ..... ft. after ..... hours pumping ..... gpm  
 WELL WATER TO BE USED AS:  
 Domestic  Feedlot  Oil field water supply  Air conditioning  Injection well  
 Irrigation  Industrial  Domestic (lawn & garden)  Monitoring well  Dewatering  Other (Specify below) .....  
 Was a chemical/bacteriological sample submitted to Department? Yes ..... No .....; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected?  Yes  No

5 TYPE OF BLANK CASING USED:  
 Steel  RMP (SR)  Concrete tile  CASING JOINTS:  Glued  Clamped .....  
 PVC  ABS  Asbestos-Cement  Other (specify below)  Welded .....  
 Fiberglass  Threaded .....  
 Blank casing diameter 5 in. to 120 ft. Dia ..... in. to ..... ft. Dia ..... in. to ..... ft.  
 Casing height above land surface 2' in., weight 5.9 lbs./ft. Wall thickness or gauge No. 40  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 Steel  Stainless Steel  Fiberglass  RMP (SR)  Asbestos-Cement  
 Brass  Galvanized Steel  Concrete tile  ABS  None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 Continuous slot  Mill slot 25/3000  Guazed wrapped  Saw cut  None (open hole)  
 Louvered shutter  Key punched  Wire wrapped  Drilled holes  
 Torch cut  Other (specify) .....  
 SCREEN-PERFORATED INTERVALS: From 120 ft. to 140 ft., From ..... ft. to ..... ft.  
 GRAVEL PACK INTERVALS: From 25 ft. to 140 ft., From ..... ft. to ..... ft.

6 GROUT MATERIAL:  Neat cement  Cement grout  Bentonite  Other .....  
 Grout Intervals: From 5 ft. to 25 ft., From ..... ft. to ..... ft., From ..... ft. to ..... ft.  
 What is the nearest source of possible contamination:  
 Septic tank  Lateral lines  Pit privy  Livestock pens  Abandoned water well  
 Sewer lines  Cess pool  Sewage lagoon  Fuel storage  Oil well/Gas well  
 Watertight sewer lines  Seepage pit  Feedyard  Fertilizer storage  Other (specify below) .....  
 Insecticide storage .....  
 Direction from well? EAST How many feet? 200'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Top Soil			
1	5	Brown Clay			
5	21	Yellow Shale			
21	50	Brown Shale			
50	58	Limestone			
58	62	Tan Shale			
62	67	Limestone			
67	72	Greenish Shale			
72	110	Brown Shale			
110	128	Limestone (WATER)			
128	146	Grey Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo/day/year) 9/28/2003 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 451 This Water Well Record was completed on (mo/day/yr) 8/21/2003 under the business name of Haldeman Well Drilling by (signature) Wray C. Culp