


1 LOCATION OF WATER WELL: County: CLAY Fraction: NW 1/4 SE 1/4 SW 1/4 Section Number: 16 Township Number: T 9 S Range Number: R 3 E/W

Distance and direction from nearest town or city street address of well if located within city? South on 15 HWY + 1/4 mile on 10th St. From CLAY CITY MO 7 miles

2 WATER WELL OWNER: Mr. Bill Dougherty  
 RR#, St. Address, Box #: 131 TOGOOD PERLOOK CANY 30517  
 City, State, ZIP Code: Blue Ridge Georgia 160  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: SW  
 4 DEPTH OF COMPLETED WELL: 160 ft. ELEVATION: 110 ft.



Depth(s) Groundwater Encountered: 110 ft. 2 ..... ft. 3 ..... ft.  
 WELL'S STATIC WATER LEVEL: 100 ft. below land surface measured on mo/day/yr  
 Pump test data: Well water was ..... ft. after ..... hours pumping ..... gpm  
 Est. Yield: 30 gpm: Well water was ..... ft. after ..... hours pumping ..... gpm  
 WELL WATER TO BE USED AS:  
 1 Domestic 2 Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Domestic (lawn & garden) 8 Air conditioning 9 Dewatering 10 Monitoring well 11 Injection well 12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes ..... No .....; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:  
 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued Clamped ..... Welded ..... Threaded .....

Blank casing diameter: 5 in. to 140 ft. Dia ..... in. to ..... ft. Dia ..... in. to ..... ft.  
 Casing height above land surface: 31 in., weight 50.40 lbs./ft. Wall thickness or guage No. ....

TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 2 Brass 3 Stainless Steel 4 Galvanized Steel 5 Fiberglass 6 Concrete tile 7 Punched 8 RMP (SR) 9 ABS 10 Asbestos-Cement 11 Other (Specify) 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 2 Louvered shutter 3 Mill slot 25 1000 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) ..... ft. 11 None (open hole)

SCREEN-PERFORATED INTERVALS: From 140 ft. to 160 ft. From ..... ft. to ..... ft.  
 GRAVEL PACK INTERVALS: From 25 ft. to 160 ft. From ..... ft. to ..... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other .....  
 Grout Intervals: From 5 ft. to 25 ft. From ..... ft. to ..... ft. From ..... ft. to ..... ft.

What is the nearest source of possible contamination:  
 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)

Direction from well? None Close How many feet? Close

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Top Soil			
1	22	Moist Clay			
22	25	Limestone			
25	70	Moist Clay			
70	90	Limestone			
90	110	Greenish Shale			
110	115	Limestone			
115	175	Brown Shale			
135	160	Limestone (Water)			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/15/2006 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 451 This Water Well Record was completed on (mo/day/yr) 3/10/2006 under the business name of Halden Will Drilling by (signature) Cray