		WATER WELL RECORD F					
LOCATION OF WATER				tion Number			Range Number
county: Kiley	m nearest town or city s	T 1/4 NE 1/4 SE treet address of well if located		26	т 9	S	R 4 EX
istance and direction no	in hearest town or dity s	neet address of wen'n located	with the only :				
WATER WELL OWNE	R Dept. of Arm	Wa a 1 11					
R#, St. Address, Box #	Directorate	of Contracting V	Sant - 1	April) and Et	Piley Board of Ad	riculture. C	ivision of Water Resources
ity, State, ZIP Code	Headquarte	VS 1 = 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	יו איז איני אין יי	acceyance	Application	Number:	
LOCATE WELL'S LOC	ATION WITH A DEPTH	of Contracting Distance Distan	999	# FLEVA	ATION:		
AN X IN SECTION B	OX: Dopth(s)	Groundwater Encountered 1.	********		2	ft 3	ft
T T	MELL'S S	STATIC WATER LEVEL . 9.9	3 6 6	olow land su	rface measured on	mo/day/yr	
i	WELLS	Pump test data: Well water					
NW	- NE	gpm: Well water				-	
		Diameterin. to					
w -			Public wate		8 Air conditioning		njection well
	i .1 1				•		Other (Specify below)
SW	- SE				_		
1 1	' '	emical/bacteriological sample su					
		emica/bacteriological sample so	iomitted to Di	-	ater Well Disinfected		
TYPE OF BLANK CAS	mitted	E Mrought iron	8 Concre	•			Clamped
	3 RMP (SR)	5 Wrought iron 6 Asbestos-Cement		(specify belo			ed
1 Steel	, ,			` '	•		ded
2 PVC	4 ABS	7 Fiberglass			# Dia		
•	• .	in., weight					
• •	PERFORATION MATERIA	=	7 <u>PV</u>			stos-ceme	
	3 Stainless steel			IP (SR)			
1 Steel 2 Brass	4 Galvanized steel	5 Fiberglass 6 Concrete tile	9 AB	` ,		used (op:	
CREEN OR PERFORAT	-		d wrapped	O	8 Saw cut		11 None (open hole)
1 Continuous slot	3_Mill_slot	6 Wire w			9 Drilled holes		11 140He (open Hole)
2 Louvered shutter	4 Key punched		apped				
			~+ I+		10 Other (enecifu)		
	• •	999 ft to	out 999	ft Ero	10 Other (specify)		
SCREEN-PERFORATED	INTERVALS: From.	999ft. to	999		om	ft. to)
SCREEN-PERFORATED	INTERVALS: From. From.		999	ft., Fro	om	ft. to)
	INTERVALS: From. From. INTERVALS: From.	999 ft. to ft. to ft. to	999	ft., Fro	om	ft. to)
GRAVEL PACK	INTERVALS: From. From. INTERVALS: From. From		999	ft., Fro ft., Fro ft., Fro	om	ft. to ft. to ft. to ft. to)
GRAVEL PACK GROUT MATERIAL:	INTERVALS: From. INTERVALS: From. From 1 Neat cement		999 3 Bento	ft., Fro ft., Fro ft., Fro	om om om om Other	ft. to),
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From.	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to	999 ft. to ft. from ft. from ft. from	999 3 Bento	ft., Fro ft., Fro ft., Fro nite 4	om om om om Other	ft. to),
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source	INTERVALS: From. INTERVALS: From. From 1 Neat cement	999 ft. to ft. ft. from ft., From ft., From ft., From	999 3 Bento	ft., Fro ft., Fro ft., Fro nite 4 to	om om om Other other stock pens	ft. tc	ft
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From.	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to 2 e of possible contaminate 4 Lateral lines	999 ft. to ft. ft. ft. from ft., Fr	3 Bento	ft., Fro ft., Fro nite 4 to	omomomomomomomomotherotherotherotherotherotherotherotherotherotherotherotherotherotherother	ft. tc. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ft. to
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1 of, to se of possible contaminat 4 Lateral lines 5 Cess pool	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bento	ft., Fro ft., Fro ft., Fro nite 4 to	om	ft. tc. ft. tc. ft. tc ft. tc ft. tc	ft
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to 2 e of possible contaminate 4 Lateral lines	999 ft. to ft. ft. ft. from ft., Fr	3 Bento	ft., Fro ft., Fro ft., Fro nite 4 to	om	ft. tc. ft. tc. ft. tc ft. tc ft. tc	ft. to
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bento	ft., Fro ft., Fro ft., Fro nite 4 to	om	14 At 15 Oi	ft. to
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., Fro ft., Fro ft., Fro nite 4 to	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: From: Fr	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: rout Intervals: From. /hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer irection from well?	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: From: Fr	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: From: Fr	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: From: Fr	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: From: Fr	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: rout Intervals: From. /hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer irection from well?	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	INTERVALS: From. From. INTERVALS: From. From 1 Neat cement 1.3 ft. to se of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 <u>Bento</u> ft.	ft., From tt., F	om	14 At 15 Oi	ft. o
GRAVEL PACK GROUT MATERIAL: Grout Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO	INTERVALS: From. From. INTERVALS: From. From. 1 Neat cement 1.3 ft. to te of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOL		3 Bento ft.	ft., From tt., F	om	14 At 15 Oi 16 Ot	ft.
GRAVEL PACK GROUT MATERIAL: frout Intervals: From. /hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer /irection from well? FROM TO	INTERVALS: From. From. INTERVALS: From. From. 1 Neat cement 1.3 ft. to te of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOL	999 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	3 Bento ft.	ft., Fro ft.	Other Other Other Stock pens Storage lizer storage cticide storage any feet? PLU PU DIV	ft. to ft	ft. of t. of
GRAVEL PACK GROUT MATERIAL: frout Intervals: From. /hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer /irection from well? FROM TO CONTRACTOR'S OR completed on (mo/day/year)	INTERVALS: From. From. INTERVALS: From. From. 1 Neat cement 1.3 ft. to ise of possible contaminate 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOL		3 Bento ft.	tt., Fro ft., Fro ft.	om	ft. to ft	ft.
GRAVEL PACK GROUT MATERIAL: rout Intervals: From. /hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO	INTERVALS: From. From. INTERVALS: From. From. 1 Neat cement 13 ft. to 2 e of possible contaminat 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOL LANDOWNER'S CERTIL ar) 7-31-96. icense No. 594.		3 Bento ft.	tt., Fro ft., Fro ft.	om	ft. to ft	ft. of t. of