

VVAIER VVELL KI		ge in Well Use			sion of Water		Well ID		
					irces App. No			.1	
1 LOCATION OF WA	AIER WELL:	Fraction 1/4 1/4	1/4 1/4	Secti	ion Number	Township Numbe T S		nber □W	
2 WELL OWNER: La	First:		r Rura	1 Address w					
Business:	ist ivallie.	riist.		Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:					
Address:								4C	
Address:									
City:	State:	ZIP:			1				
3 LOCATE WELL	L 4 DEPTH OF COMPLETED WELL:				ft. 5 Latitude :(decimal degrees)				
WITH "X" IN	Denth(s) Groundwater Encountered: 1)								
	SECTION BOX: 2) ft., or 4)								
	WELL'S STATIC WA		ft. Source for Latitude/Longitude:						
	below land surface, measured on (mo-day-yr				G1 S (unit mane, modern				
NW NE	W NE above land surface, measured on (mo-day-yr				(**************************************				
	Pump test data: Well w			☐ Land Survey ☐ Topographic Map					
W E	E after hours pumping gp Well water was ft.				☐ Online Mapper:				
SW SE	SW SE after hours pumping			nm					
	gpm			6 Elevation :ft. ☐ Ground Level ☐ TOC					
S	in. to ft. and			Source: Land Survey GPS Topographic Map					
mile		in. to ft.			☐ Other				
7 WELL WATER TO BE USED AS:									
1. Domestic:		ater Supply: well ID			10. 🔲 Oil	Field Water Supply: lea	se		
☐ Household		g: how many wells				ole: well ID			
Lawn & Garden		harge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical				
☐ Livestock 8. ☐ Monitoring: well ID									
2. Irrigation 9. Environmental Remediation: well ID.				•					
3. ☐ Feedlot 4. ☐ Industrial	☐ Air Sparge☐ Recovery		oor Extractio	1					
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
Water well disinfected? Yes No									
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.								ft.	
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination:									
Septic Tank	Lateral Line				ivestock Pen				
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedvard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Other (Specify)									
Direction from well?						ft.			
10 FROM TO	LITHOLOG		FRC			ITHO. LOG (cont.) or I	LUGGING INTE	RVALS	
					Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year)									
under the business name of									
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html