## KOLAR Document ID: 1401602

	WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use		ources App. ]			Well ID			
1 LOCATION OF WATER WELL:     Fraction       County:     1/4					ction Numb	1 5						
county.												
						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:						
Address:	G						meetion nom nearest town of intersection). If at owner s address, encek here.					
Address:												
City:		1	State:	ZIP:								
3 LOCAT		4 DEPTH	OF CON	IPLETED WELL: .	f	ft. <b>5 Latitude:</b>						
	WITH "X" IN SECTION BOX:											
	SECTION DOX. N 2) ft. 3) ft., or 4) $\Box$							WGS 84 🗌 NAI		IAD 27		
	WELL'S STATIC WATER LEVEL:					Source	ce for	Latitude/Longitude	:			
				·yr) ·yr)			unit make/model:					
NW	NE	Pump test da				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map						
w	X E	~	hours				e Mapper:					
			Well water was ft.									
			after hours pumping gpi			6 Flow	6 Elevation:ft.  Ground Level TOC					
		Estimated Yield:gpm			<b>C</b> 1	Source: Land Survey GPS Topographic Map						
	S nile	Bore Hole L	Bore Hole Diameter: in. to									
Image:												
1. Domestic:       5. Dublic Water Supply: well ID       10. Doil Field Water Supply: lease												
	☐ Household 6. ☐ Dewatering: how many wells?											
Lawn a	Lawn & Garden 7. Aquifer Recharge: well ID					□C	Cased Uncased Geotechnical					
	Livestock 8. Monitoring: well ID											
2. 🗌 Irrigati				al Remediation: well II				Loop Horizont				
	3. Feedlot Soil Vapor											
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? $\Box$ Yes $\Box$ No If yes, date sample was submitted:												
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter												
Casing height above land surface in. Weight Ibs./ft. Wall thickness or gauge No.												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)												
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
Nearest source of possible contamination:												
Septic '			Lateral Line			Livestock P			cide Storage			
Sewer ]			Cess Pool	□ Sewage La		Fuel Storage			oned Water	Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well? ft.												
10 FROM	ТО		ITHOLO		FROM	ТО		HO. LOG (cont.) or		G INTERVALS		
	-	-		-		-						
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
				no-day-year)								
Kansas Wa	ter Well Cor	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	mple	ted on (mo-day-ye	ear)			
under the b	usiness name	<u>e of</u>										
KS Departm				ELL OWNER and retain						785-296-3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												