

OFFICE USE ONLY

T

9

R

6

EW

SEC

SW 1/4 SW 1/4 NW 1/4

1 LOCATION OF WATER WELL  
 County: Riley Fraction SW 1/4 SW 1/4 NW 1/4 Section Number 4 Township Number T 9 S Range Number R 6 E/W

Distance and direction from nearest town or city? 3 miles east on north side of road from Riley Street address of well if located within city?

2 WATER WELL OWNER: George V. Miller  
 RR#, St. Address, Box #: Riley Kans 66531 Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Riley Kans 66531 Application Number:

3 DEPTH OF COMPLETED WELL: 108 ft. Bore Hole Diameter: 1.0 in. to 2.4 ft., and 6 1/2 in. to 1.08 in. ft.  
 Well Water to be used as: 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well  
2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 Well's static water level: 80 ft. below land surface measured on 4 month 23 day 1981 year  
 Pump Test Data: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Est. Yield 90 gpm: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm

4 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued  Clamped \_\_\_\_\_  
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded \_\_\_\_\_  
 7 Fiberglass Threaded \_\_\_\_\_  
 Blank casing dia: 5 in. to 1.08 ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 Casing height above land surface: 1.8 in., weight \_\_\_\_\_ lbs./ft. Wall thickness or gauge No. 267 Wall

TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) \_\_\_\_\_  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 Screen or Perforation Openings Are:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify) \_\_\_\_\_  
 Screen-Perforation Dia: 0.40 in. to \_\_\_\_\_ ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft., Dia \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 Screen-Perforated Intervals: From 1.08 ft. to 7.8 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 Gravel Pack Intervals: From 1.08 ft. to 2.4 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

5 GROUT MATERIAL:  
 1 Neat cement 2 Cement grout 3 Bentonite 4 Other \_\_\_\_\_  
 Grouted Intervals: From 2.4 ft. to 10 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 What is the nearest source of possible contamination: 10 Fuel storage 14 Abandoned water well  
11 Fertilizer storage 15 Oil well/Gas well  
12 Insecticide storage 16 Other (specify below)  
13 Watertight sewer lines Hog House drain  
 Direction from well: South east How many feet: 100? Water Well Disinfected? Yes  No \_\_\_\_\_  
 Was a chemical/bacteriological sample submitted to Department? Yes \_\_\_\_\_ No  If yes, date sample was submitted \_\_\_\_\_ month \_\_\_\_\_ day \_\_\_\_\_ year: Pump Installed? Yes \_\_\_\_\_ No   
 If Yes: Pump Manufacturer's name: NA Model No. \_\_\_\_\_ HP \_\_\_\_\_ Volts \_\_\_\_\_  
 Depth of Pump Intake \_\_\_\_\_ ft. Pumps Capacity rated at \_\_\_\_\_ gal./min.  
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 4 month 23 day 1981 year  
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 237  
 This Water Well Record was completed on 4 month 24 day 1981 year under the business name of Strader Drilling Co by (signature) Harold Strader

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	4	top soil			
		4	6	Rock, yellow line, soft			
		6	20	clay, "			
		20	24	Rock, limestone			
		24	40	clay, yellow			
		40	60	shale, red			
		60	65	shale, yellow			
		65	80	shale, red			
		80	90	Rock, limestone yellow			
	90	shale, blue					

Depth(s) Groundwater Encountered 1. 85 to 90' ft. 3. \_\_\_\_\_ ft. 4. \_\_\_\_\_ ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.