			1	WELL RECORD FO	rm WWC-5	KSA 82a			
I] LOCATION County:	ON OF WAT	FER WELL:	Fraction  WE 1/4	NW 1/4 SW		Number	Township	Number S	Range Number
Distance a				ress of well if located w		on R			
24	Thin	Cm / M	Le Sion 7	or ANDIES	Ny the	NE	126 60	<del>-</del> .	6974
WATER	<u> </u>	NER: ETMY	SWATTZ	, , , , , , , , , , , , , , , , , , , ,	7 75	2	21/14/200		04/9
	Address, Box	A	LAKINODO	l Dr.			Board of	Agriculture D	ivision of Water Resources
	, ZIP Code			USAS 6650	2			on Number:	Wision of Water Resources
· · · · · · · · · · · · · · · · · · ·				MPLETED WELL	20				
AN "X"	IN SECTION	UROY H		MPLETED WELL	79	. ELEVA	TION:		
				ater Encountered 1.					
Ĭ l	1								
-	- NW	NE						•	nping gpm
	- 1								nping gpm
≝ w ⊢	<del> !</del>								to
ž w l	<i>X</i> :		ELL WATER TO		Public water su		8 Air conditionin	•	njection well
1 -	- sw	SE	1 Domestic		Oil field water :		9 Dewatering		Other (Specify below)
	Ï		2 Irrigation						
l L		\ \ <u>`</u>	/as a chemical/ba	cteriological sample sub	mitted to Depai				mo/day/yr sample was sub-
<u>-</u>			itted	·· · · · · · · · · · · · · · · · · · ·		Wa	ter Well Disinfec	<del>\</del>	No
J TYPE C	OF BLANK (	CASING USED:	Ę	Wrought iron	8 Concrete	ile	CASING J	DINTS: Glued	) Clamped
1 St	el	3 RMP (SR)	6	S Asbestos-Cement	9 Other (spe	cify below	<b>v</b> )	Welde	d
2 PV		4 ABS	100	<sup>7</sup> Fiberglass				Threa	ded
Blank casi	ng diameter	غin							n. to ft.
Casing hei	ght above la	and surface	<i>2</i> .′ir	i., weight <i>S.F.HY.O</i>		Ibs./	ft. Wall thickness	or gauge No	
TYPE OF	SCREEN O	R PERFORATION I	MATERIAL:		(* PVC	)		sbestos-cemer	.,
1 Ste	el	3 Stainless s	iteel 5	Fiberglass	8 RMP (	SR)	11 O	ther (specify) .	
2 Bra	ass	4 Galvanized	l steel 6	Concrete tile	9 ABS		12 N	one used (ope	n hole)
SCREEN (	OR PERFOR	RATION OPENINGS	SARE: 25/	5005 5675 Gauzed	wrapped		8 Saw cut		11 None (open hole)
1 Co	ntinuous slo	t (3 Mill	slot	6 Wire wra	pped		9 Drilled holes	•	
2 Lo	uvered shutt	er 4 Key	punched	7 Torch cu	_				
SCREEN-F	PERFORATI	ED INTERVALS:	From	0.0 ft. to /.	<b>2</b> .0	ft., Fro	m	ft. to	
			From	ft. to		ft., Fro	m <i>.</i>	ft. to	)
G	RAVEL PA	CK INTERVALS:	From	?. <i>5</i> ft. to <i>1</i> .	2.0	ft., Fro	m	ft. to	
			From	ft. to		ft., Fro	m	ft. to	ft.
GROUT	MATERIAL	.: 1 Neat cer	ment 2	Cement grout	3 Bentonite	) 4	Other		
Grout Inter	vals: From	m <i>P</i> ft.	. to 2 .S.	ft., From	<del> 11. 10.</del>		ft., From .		. ft. to
What is the	e nearest so	ource of possible co	ontamination:	10011 (100	•	10 Lives	tock pens	14 Ab	andoned water well
1 Se	ptic tank	4 Lateral	lines	7 Pit privy		11 Fuel	storage	15 Oi	well/Gas well
2 Se	wer lines	5 Cess po	ool 8 Sewage lagoon			12 Fertilizer storage 16 Other (specify below)			
3 Wa	atertight sew	er lines 6 Seepag	je pit	9 Feedyard		13 Insec	ticide storage		
Direction for	rom well?					How ma	ny feet?		
FROM	TO		LITHOLOGIC LO	OG .	FROM	то		PLUGGING IN	ITERVALS
0	2	Top Soil							
2	22	Brown 5	CLOY	,					
22	25	LIMISTONI							
25	43	Brown S	SHALC						
43	58	LimesTon							
43 58	67	Vellow	Shale						
67	70	LIMISTON							
70	78	Granish	Sholl 1	2	:				
78	96	LIMISTON		VATER)					
96	99	Grey SIA	11						
99	104	LIMISTON	0	***					
104	116	7	Shoke						
112	115	LimesTo							
115							<del></del>		
// 5	120	Griy 52	bole						
T	L					<u></u>			
-			CEBTIFICATION	N: This water well was					er my jurisdiction and was
completed	on (mo/day	/year)						pest of my kno	wledge and belief. Kansas
		la liasana Na	431	This Water Well	Decord was a	beteleme	on (moldoulur)	5/	Z.8/7.3
Water Wel	I Contractor	s License No		IIIIS VValer VVeil	necolu was c			,	
under the	business na	me of Hal	demon			by (signa	ture)	ay !	CupPI