WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

			T		T	1,		
1. Location of well:	Fraction	. . '	Section • 2	_	Township number	Range number	_	
Littly	NE 1/45W 1/4 NI	1/4		<u> </u>	17 9	s R 6	EN A	
2. Distance and direction from nearest town or city: 3. Owner of well R.R. or street:				:	$\mathcal{U}_{\mathcal{U}}$	repal Van	Survey	
1. Location of well: 2. Distance and direction from nearest townor city: Street oddress of well location if in city: 4. Locate with "X" in section below: Sketch map:				ode.	Box 361 Maryollill K.L			
4. Locate with "X" in section below:	Sketch map:	7,	., .,		6. Bore hole dia.	in. Completion date	2-2-76	
N	·				Well depth 129 ft			
					7. K Cable tool Rot			
NW NE				}	Hollow rod Jet			
N I I E					8. Use: Domestic	_ Public supply _ Air conditioning		
					Lawn Oil field water Other			
					9. Casing: Material Price Height: Above or below			
S					Threaded Welded Surface in. RMP PVC Weight 155 lbs./ft.			
ı→ 1 Mile — I		.,			Dia. 5 in. to 129 ft.	depth Wall Thickness	inches or	
5. Type and color of material			From	То	Dia in. to ft. 10. Screen: Manufacture		T	
too 9-10			$\overline{\Delta}$	10	Pump	@ Suspelin		
C SOUN			<u> </u>	10	Type PICS Slot/gauze Stoled	Length		
Rod Clay			10.	22	Set between 94	ft. and	ft.	
21 room Coalo			27	31	Gravel pack? 1/25 Size	ft. and	ft.	
110 Maria Dona		راً);	2	11. Static water level:		mo./day/yr.	
100 - 00			<i>∑</i> / ∨	20	95 ft. below land		1-2-76	
gellow Clay		\$	25	40	12. Pumping level below ft. after		g.p.m.	
Yellow Ros De		-	46	51	ft. after	hrs. pumping		
Gallon Clair		Z		59	Estimated maximum yield 13. Water sample submitte		mo./day/yr.	
On Day Day			59		Yes No	Date		
a di di			37	COL	14. Well head completion X Pitless adapter	: Inches abo	ove grade	
Mineen Shale			(oL	69	15. Well grouted? Ve			
Wellow Rock		l	9	74	With: Neat cement		_ Concrete	
tan chale		-	سلا	78	16. Negrest source of pas	to 15 ft		
D. 0 CO:		,	70	- /	ft. 100 Direction Well disinfected upon cor	Type	TAUK	
Ved Clay			78	84	17. Pump:	Not install		
yellow Klock			54	89	Manufacturer's name) ompester	Vol .23 0	
Dragnish Clay		8	39	94	Model number	tr. capacity —	Og.p.m.	
Yellow Roscle (11)	eter)	C	14	98	Type:Submersible		bine	
Manual Slove De Manual Constitution of the Con	nd sheet if needed)	Ġ	8	129	Jet Centrifugal	Rec	iproceting S	
18. Elevation: 19. Remarks:	id slice. If freeded)		<u> </u>		20. Water well contracto		, , , , , , , , , , , , , , , , , , ,	
Ĭ					This well was drilled unde	er my jurisdiction and	this report	
Topography:					is true to the best of my k	nowledge and belief.	202 💈	
Hill					Business name	Agul Ha	License No.	
Slope Upland					Address	a les	2/2/72 E	
Valley					Signed Authorized	representati D	ate A A A	
Forward the white hive and nink conies to the Departm	and of Hamilah and For the case of						MMC-5	

Forward the white, blue and pink copies to the Department of Health and Environment