

WATER WELL RI		V			ion of Water		777 II ID	
		e in Well Use			rces App. No.	TD 1: NT 1	Well ID	NY 1
		Fraction		Section	on Number	Township Numb		ge Number
County:		1/4 1/4 1/		D 1	1 4 1 1 1	T S	R	□ E □ W
2 WELL OWNER: La Business:	First:		or Rural Address who					
Address:			direction ii	rom nea	arest town or in	ersection): If at owne	r's address, (check here:
Address:								
City:	State:	ZIP:			1			
3 LOCATE WELL	4 DEPTH OF COM	PLETED WELL:		ft	5 Latitud	.		(decimal degrees)
WITH "X" IN	Depth(s) Groundwater 1				Longitude:			
SECTION BOX:		3) ft., or 4)						
1	WELL'S STATIC WA				Source for Latitude/Longitude:			
	below land surface,				☐ GPS (unit make/model:)
XW NE	above land surface,			` — /		lo)		
	Pump test data: Well w				☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
E E		s pumpingvater was			☐ Onli	ne Mapper:		• • • • • • • • • • • • • • • • • • • •
SW SE		s pumping						
	Estimated Yield:		01		6 Elevation:ft. ☐ Ground Level ☐ TOC			
S	Bore Hole Diameter:	in. to	ft. and		Source: Land Survey GPS Topographic Map			
mile		in. to	ft.		L	Other	•••••	• • • • • • • • • • • • • • • • • • • •
7 WELL WATER TO								
1. Domestic:		ter Supply: well ID				ield Water Supply: 10		
Household		g: how many wells?				e: well ID		
☐ Lawn & Garden ☐ Livestock		echarge: well ID g: well ID						
2. Irrigation		al Remediation: well I						
3. ☐ Feedlot	☐ Air Sparge				b) Open Loop Surface Discharge Inj. of Water			
4. Industrial	☐ Recovery					(specify):		
Was a chemical/bacteri	ological sample subm	itted to KDHE?	Yes \square 1	No I	If yes, date sa	ample was submitte	ed:	
Water well disinfected?			_		•	•		
8 TYPE OF CASING	USED: ☐ Steel ☐ PV	C Other	CA	ASINO	G JOINTS: [☐ Glued ☐ Clamped	d 🔲 Welded	d Threaded
Casing diameter					ft., Diamete	er in. to	ft.	
Casing height above land so			lbs.	/ft.	Wall thickne	ss or gauge No		
TYPE OF SCREEN OR								
	less Steel		1.7		☐ Other	(Specify)		
☐ Brass ☐ Galva SCREEN OR PERFORA	nnized Steel Conc		used (open	hole)				
			orch Cut	□ Dril	lled Holes - [Other (Specify)		
	☐ Key Punched ☐ W				ne (Open Hole			
SCREEN-PERFORATE	D INTERVALS: From	n ft. to	ft., Fro	m	ft. to	ft., From	ft. to	ft.
	K INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination:								
Septic Tank Sewer Lines	□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well							
☐ Watertight Sewer Line			agoon		ertilizer Storag		ell/Gas Well	VV CII
Other (Specify)				ш.,	ertifizer Storag	,e 🗀 on we	on Gus Wen	
Direction from well?		Distance from v	vell?			ft	•	
10 FROM TO	LITHOLOG	GIC LOG	FRON	Л	TO LI	THO. LOG (cont.) or	r PLUGGIN	G INTERVALS
				_				
Notes:								
110005.								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged								
under my jurisdiction and	d was completed on (m	no-day-year)	8	and th	is record is t	rue to the best of m	y knowled;	ge and belief.
Kansas Water Well Cont	ractor's License No	This W	ater Well	Reco	rd was comp	leted on (mo-day-y	ear)	
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

Form	WWC5
Contractor	Associated Drilling, Inc.
Well Owner	Mark Bachamp
Doc ID	1197217

Litholgy

From	То	LithologicLog
0	4	limestone-soil layers
4	7	tan shale
7	9	limestone
9	18	grey shale
18	20	limestone
20	23	tan shale
23	32	red shale
32	42	tan shale
42	46	red shale
46	52	grey shale
52	53	limestone
53	56	tan shale
56	58	grey shale
58	60	tan shale
60	64	limestone
64	69	tan shale
69	72	grey shale
72	78	tan shale
78	87	limestone
87	89	grey shale
89	93	limestone
93	112	grey shale
112	121	limestone
121	128	tan shale

Form	WWC5	
Contractor	Associated Drilling, Inc.	
Well Owner	Mark Bachamp	
Doc ID	1197217	

Litholgy

From	То	LithologicLog
128	136	grey shale
136	139	tan shale
139	150	grey shale
150	157	limestone
157	175	grey shale
175	180	black shale