| CATION OF WAT | | | | | | | ·mbor | |
|--|--|---|--|---|---|---|--|--|
| nty: Rike | TER WELL: | Fraction SNE 1/4 | SW 1/4 5 | | ction Numbe | T Township N | | Range Number |
| ince and direction | from nearest to | wn or city street ac | dress of well if locate | d within city? | From | Monbooks | City 1 | winits 60 |
| | | | of WIST | | | | | |
| ATER WELL OW | | & CONSTIL | • | | | | | |
| , St. Address, Box | x#: a 01 | ColorAdo | . //٢ | _ | | Board of A | griculture, [| Division of Water Resource |
| State, ZIP Code | MONS | retter, Hon | SPS 650 | | | Application | | |
| CATE WELL'S L | OCATION WITH | 4 DEPTH OF C | OMPLETED WELL | | | | | |
| | ` | | | | | | | |
| | | 1 | | | | | | |
| NW | NE | | | | | | • | mping gpi |
| 1 1 | | Est. Yield 30 | gpm: Well water | er was | ft. | after | hours pui | mping gpr |
| v | <u> </u> | Bore Hole Diame | iter | / | | | | to |
| '!! | | WELL WATER T | O BE USED AS: | 5 Public water | er supply | 8 Air conditioning | 11 | Injection well |
| | | Domestic | 3 Feedlot | 6 Oil field wa | iter supply | 9 Dewatering | 12 (| Other (Specify below) |
| 13W | 36 | 2 Irrigation | 4 Industrial | 7 Lawn and | garden only | 10 Observation we | ر اا | |
| | lii | Was a chemical/b | pacteriological sample s | submitted to D | epartment? | YesNo | If yes, | mo/day/yr sample was su |
| | | mitted | , | | | ater Well Disinfecte | | |
| DE OE BLANK (| CASING USED: | | 5 Wrought iron | 8 Concr | | | | Clamped |
| | 3 RMP (S | !D\ | 6 Asbestos-Cement | | (specify belo | | | Some |
| Steel | | on) | | | • • | • | | |
| | 4 ABS | 1111 | 7 Fiberglass | | | | | ided |
| • | | A . // | ft., Dia | ,,, | | | | in. to f |
| _ | and surface | • | in., weightS.M. | .4.0 | lbs | s./ft. Wall thickness o | or gauge No | o |
| OF SCREEN O | R PERFORATIO | N MATERIAL: | | للطبي | | 10 Asb | estos-ceme | nt |
| Steel | 3 Stainles | s steel | 5 Fiberglass | 8 AN | MP (SR) | 11 Oth | er (specify) | |
| Brass | 4 Galvaniz | zed steel | 6 Concrete tile | 9 AE | IS | 12 Non | e used (op | en hole) |
| EN OR PERFO | RATION OPENIN | NGS ARE: 31 | 5 Gauz | ed wrapped | | 8 Saw cut | | 11 None (open hole) |
| Continuous slo | ot 3-10 | Aill slot | 6 Wire | wrapped | | 9 Drilled holes | | |
| Louvered shutt | | ey punched | 7 Torch | cut | | 10 Other (specify | 0 | |
| | ED INTERVALS: | | 50 ft. to | 190 | | , , , , , , , , , , , , , , , , , , , | , | D |
| | | | | ,,,, | ff Fr | 0m | ft to | |
| | | From | | | | | | |
| ODAVEL DA | OK INTERVALS | From | | | | | | |
| GRAVEL PA | CK INTERVALS: | | ft. to ft. to | | ft., Fr | om | ft. to | o, , , , , , , , , , , , , , , , , , , |
| | | Erom | ft. to ft. to ft. to | 1761 | ft., Fr ft., Fr ft., Fr | om | ft. to | o |
| OUT MATERIAL | .: (Neat | Erom | ft. to ft. to ft. to ft. to | 3 Bento | ft., Fr ft., Fr ft., Fr | omom omom • Other | ft. to | o |
| OUT MATERIAL Intervals: Fro | mS | Erom | ft. to ft. ft. ft. ft. ft. from ft., From | 3 Bento | ft., Fr ft., Fr ft., Fr onite | om | ft. to | o |
| OUT MATERIAL Intervals: From | mS | cement .ft. to/ | ft. to ft. to ft. to 2 Cement grout ft., From NON Close | 3 Bento | ft., Frft., Fr ft., Fr onite to 10 Live | omom om Other ft., From stock pens | ft. to | 5 |
| OUT MATERIAL Intervals: From | m5 burce of possible 4 Later | cement .ft. to | ft. to ft. ft. ft. ft. ft. from ft., From | 3 Bento | ft., Frft., Fr ft., Fr onite to 10 Live | om | ft. to | o |
| OUT MATERIAL Intervals: From s the nearest so Septic tank | mS | cement .ft. to | ft. to ft. to ft. to 2 Cement grout ft., From NON Close | 3 Bento ft. | ft., Fr ft., Fr ft., Fr onite to 10 Live 11 Fue | omom om Other ft., From stock pens | ft. to f | oft. to |
| OUT MATERIAL Intervals: From s the nearest so Septic tank ! Sewer lines | m5 burce of possible 4 Later | Erom cement .ft. to/. \$ contamination: ral lines s pool | ft. to ft. to ft. to Comment grout ft., From 7 Pit privy | 3 Bento ft. | to | omom bom Otherft., From stock pens I storage | ft. to f | of the first of the control of the c |
| OUT MATERIAL Intervals: Froi s the nearest so Septic tank Sewer lines Watertight sew | .: Neat m | ft. to/. \$ contamination: ral lines s pool page pit | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. | to | orn | 14 At 15 Oi | of the first of th |
| OUT MATERIAL Intervals: From the nearest so Septic tank Sewer lines Watertight sewer on from well? | Durce of possible 4 Later 5 Cess Ver lines 6 Seep | Erom Cement .ft. to | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. | to | orn | 14 At 15 Oi 16 Oi | o |
| OUT MATERIAL Intervals: Froi s the nearest so Septic tank Sewer lines Watertight sew on from well? | Durce of possible 4 Later 5 Cess VILLOW | Erom Cement .ft. to | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. | to | orn | 14 At 15 Oi 16 Oi | o |
| OUT MATERIAL intervals: From some the nearest some Septic tank Sewer lines Watertight sewer from well? | Durce of possible 4 Later 5 Cess ver lines 6 Seep | Erom Cement .ft. to | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. | to | orn | 14 At 15 Oi 16 Oi | oft. to |
| OUT MATERIAL intervals: From some the nearest some Septic tank Sewer lines Watertight sewer from well? | Durce of possible 4 Later 5 Cess ver lines 6 Seep | Erom Cement .ft. to | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | oft. to |
| OUT MATERIAL Intervals: From some nearest so Septic tank Sewer lines Watertight sewer on from well? | burce of possible 4 Later 5 Cess ver lines 6 Seep | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC I | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | of the first of th |
| OUT MATERIAL Intervals: From some the nearest so Septic tank Sewer lines Watertight sewer on from well? | wer lines 6 Seep VILLOW ROCK Y Clow CMY CMY CMY CMY CM CMY CMY CMY | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC I | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | of the first of th |
| OUT MATERIAL Intervals: Froi s the nearest so Septic tank Sewer lines Watertight sew on from well? M TO S | were lines 6 Seep Villow Rock Vollow Rock Rock | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC I | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | of the first of th |
| OUT MATERIAL Intervals: From Street tenk septic tank sewer lines watertight sew on from well? M TO S | were lines 6 Seep VILLOU ROCK YCLOW CMY CA ROCA Brown | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC I | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | of the first of th |
| OUT MATERIAL Intervals: Froi s the nearest so Septic tank Sewer lines Watertight sew on from well? M TO 7 7 7 7 7 7 7 7 7 7 7 7 7 | VILLOW ROCK YCHOW CM ROCK ROCK ROCK ROCK ROCK ROCK ROCK ROCK | Erom Cement ft. to/. 5. contamination: ral lines s pool page pit LITHOLOGIC I | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | of the first of th |
| OUT MATERIAL Intervals: From some nearest so Septic tank Sewer lines Watertight sew on from well? TO TO TO TO TO TO TO TO TO T | VILLOW ROCK YCHOW CMY CH ROCK YCHOW CMY CH ROCK ROCK YCHOW CMY CH ROCK ROCK ROCK ROCK ROCK ROCK | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC I | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | of the first of th |
| OUT MATERIAL Intervals: From the nearest so Septic tank Sewer lines Watertight sew on from well? TO TO TO TO TO TO TO TO TO T | VILLOW ROCK YCHOW CMY CH ROCK ROCK ROCK ROCK ROCK ROCK ROCK ROCK | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC CLIV CLIV CLIV | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | of the first of th |
| OUT MATERIAL Intervals: From some nearest so Septic tank Sewer lines Watertight sew on from well? TO TO TO TO TO TO TO TO TO T | VILLOW ROCK YCHOW CMY CH ROCK YCHOW CMY CH ROCK ROCK YCHOW CMY CH ROCK ROCK ROCK ROCK ROCK ROCK | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC CLIV CLIV CLIV | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | of the first of th |
| OUT MATERIAL Intervals: From some nearest so Septic tank Sewer lines Watertight sew on from well? TO TO TO TO TO TO TO TO TO T | VILLOW ROCK YCHOW CMY CH ROCK ROCK ROCK ROCK ROCK ROCK ROCK ROCK | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC CLIV CLIV CLIV | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | of the first of th |
| OUT MATERIAL Intervals: From some the nearest so Septic tank Sewer lines Watertight sew on from well? TO TO TO TO TO TO TO TO TO T | VILLOW ROCK Source of possible 4 Later 5 Cess VILLOW ROCK VILLOW ROCK ROCK ROCK ROCK ROCK ROCK ROCK ROCK | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC CLIV CLIV CLIV | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | o |
| OUT MATERIAL Intervals: From some the nearest so Septic tank sewer lines watertight sew on from well? M TO 5 7 7 7 7 7 7 7 7 7 7 7 7 | VILLOW ROCK ROCK ROCK ROCK ROCK ROCK ROCK ROCK | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC CLIV CLIV CLIV | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | o |
| OUT MATERIAL Intervals: From the nearest so septic tank is Sewer lines is Watertight sew on from well? M TO 5 7 7 7 7 7 7 7 7 7 7 7 7 | Nest Most Durce of possible 4 Later 5 Cess VILLOU ROCK Y Cllow CMY CH ROCK Brown ROCK Brown ROCK Brown ROCK ROCK Brown ROCK ROCK Brown ROCK | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC CLIV CLIV CLIV | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | o |
| OUT MATERIAL Intervals: From the nearest so septic tank is Sewer lines is Watertight sew on from well? M TO 5 7 7 7 7 7 7 7 7 7 7 7 7 | VILLOW ROCK ROCK ROCK ROCK ROCK ROCK ROCK ROCK | Erom Compart It. to / 5 It. to / | ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage lage 9 Feedyard | 3 Bento ft. ft. FROM / 4 8 | to | om | 14 At 15 Oi 16 Oi | o |
| OUT MATERIAL Intervals: From some the nearest some septic tank is Septic tank is Sewer lines is Watertight sew on from well? M TO S S S S S S S S S S S S S S S S S S | Nest Mource of possible 4 Later 5 Cess VILLOU ROCK ROCK Brown ROCK Brown ROCK Brown ROCK ROCK | Erom Cement Ift. to / 5 In contamination: ral lines Is pool page pit LITHOLOGIC CLIV | ft. to ft. to ft. to ft. to ft. to ft. to ft. fo Comment grout ft., From Pit privy Sewage lage Feedyard LOG | 3 Bento ft. | toft., Fronite to 10 Live 11 Fue 12 Fert 13 Inse | orn | 14 At 15 Oi 16 Or | of the following of the |
| OUT MATERIAL Intervals: From some the nearest so septic tank sewer lines watertight sew on from well? M TO 5 7 7 7 7 7 7 7 7 7 7 7 7 | Nest Mest Millow Fock Fock | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC CLIV | ft. to ft. to ft. to ft. to ft. to ft. to ft. fo Comment grout ft., From Pit privy Sewage lage Feedyard LOG | 3 Bento ft. | to | orn | 14 At 15 Oi 16 Or | of the following of the |
| OUT MATERIAL Intervals: From some the nearest so septic tank sewer lines watertight sewer on from well? I TO I T | Nest Mest Millow Fock Fock | Erom Cement Ift. to / 5 In contamination: ral lines Is pool page pit LITHOLOGIC CLIV | ft. to ft. fo ft. to ft. fo ft ft. fo ft | 3 Bento ft. scoon FROM / Y 8 / 57 | to | om | 14 At 15 Oi 16 Or | o |
| OUT MATERIAL Intervals: From some tension of the nearest some separate sepa | Neat on Source of possible 4 Later 5 Cess VILLOU ROCK YCHOW CMY CHOW CMY CHOW CMY CHOW CMY CHOW CMY CHOW CMY CONY | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC CLIV | ft. to ft. fo ft. to ft. fo ft ft. fo ft | 3 Bento ft. scoon FROM / Y 8 / 57 | to | orn | 14 At 15 Oi 16 Or | of the following of the |
| OUT MATERIAL Intervals: From some the nearest so Septic tank septi | Neat- m | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC I CLIY LY CLIY LY LY LY LY LY LY LY LY LY | ft. to ft | 3 Bento tt. FROM /// // 57 as 1) constru | to | com | LITHOLOG | of the first of th |
| OUT MATERIAL Intervals: From is the nearest so is septic tank. Septic tank Septic tank. Septic tank Septic tank. Septic tank Septic tank. Septic tan | Neat- m | Erom cement ft. to / 5 contamination: ral lines s pool page pit LITHOLOGIC I CLIY LY CLIY LY LY LY LY LY LY LY LY LY | ft. to ft. fo ft. to ft. fo ft. to ft. fo ft. to ft. fo ft. to ft | 3 Bento tt. FROM /// // 57 as 1) constru /ell Record wa | to | com | tit to ft. to ft | of the following of the |