1 LOCATION OF WATER WELL:	Fraction		ction Number	Township Number	Range Number
County: PO //	1 26 1/4 3/2 1/4 5/	V1/4	_/ (T 7 (S)	I R & (BW
Distance and direction from nearest town of 3Miles To bornes Rd, This	N /00 MIN EPST JO L	within city?	From A	NONTON GO K	OF THE ON 24 HWY
2 WATER WELL OWNER: LOUIS DE RR#, St. Address, Box # : 6 2 04 6	ond & ROCKY FORD	MO6: 1	HOM!		
BB# St Address Boy # 1204	INDER COUR RX.				Division of Water Resources
City, State, ZIP Code : Manh.	alton Houses	665	02	Application Number:	Division of Water Hesseries
City, State, ZIF Code					
LOCATE WELL'S LOCATION WITH A AN "X" IN SECTION BOX:	epth(s) Groundwater Encountered 1				
- C - N - N	ELL'S STATIC WATER LEVEL W.S.	15%	alow lond and	inco magnified on moldaylys	
					i
NW NE	Pump test data: Well water			•	, ,
	st. Yield gpm: Well water			·	
. ₩ 1 E Bo	ore Hole Diameterin_to_			andin	. to
	ELL WATER TO BE USED (S:11/15)5	Public wat	er supply	8 Air conditioning 11	Injection well
	1 Domestic 3 Feedlot 6	Oil field wa	ater supply	9 Dewatering 12	Other (Specify below)
	2 Irrigation 4 Industrial 7	Lawn and	garden only	0 Monitoring well	
	as a chemical/bacteriological sample su	bmitted to D	epartment? Ye	sNo <u>if.ve</u> s	, mo/day/yr sample was sub-
	itted		•	er Well Disinfected? (Ves)	No
5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Conci			d Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement		(specify below		led
2 PVC 4 ABS	7 Fiberglass				aded
Blank casing diameter Was 6in.					1
Casing height above land surface. To . bf.		1d. 8	Ibs./	ft. Wall thickness or gauge N	lo
TYPE OF SCREEN OR PERFORATION N	MATERIAL:	7 P\	/C	10 Asbestos-ceme	
1 Steel 3 Stainless st	teel 5 Fiberglass	8 Rf	MP (SR)	11 Other (specify)	
2 Brass 4 Galvanized	I steel 6 Concrete tile	9 A	38	12 None used (or	pen hole)
SCREEN OR PERFORATION OPENINGS	S ARE: 5 Gauzeo	d wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill s	slot 6 Wire w	rapped		9 Drilled holes	
	punched QQQ 7 Torch of	··· ^	Ω	10 Other (specify)	\mathcal{N} A
SCREEN-PERFORATED INTERVALS:	From ft. to	9	17 tt From	n ft.	·
SOMECIAL ENI SHATED INTERVACE.			-		,
From					
GRAVEL PACK INTERVALS:			•		
	From ft. to		ft., From		
6 GROUT MATERIAL: 1 Neat cen	, 2	(3 Bent		Other	1
Grout Intervals: Fromft.	. to / ft., From	 I t.	to		
What is the nearest source of possible co	ontamination:		10 Lives	tock pens 14 A	Abandoned water well
1 Septic tank 4 Lateral	lines 7 Pit privy		11 Fuel	storage 15 C	Dil well/Gas well
2 Sewer lines 5 Cess po	ool 8 Sewage lagoo	on	12 Fertili	zer storage 16 0	Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard			13 Insec	ticide storage	
Direction from well?			How many feet?		
FROM TO	LITHOLOGIC LOG	FROM	ТО	PLUGGING	INTERVALS
0 3 Compait	Clay				
3 15 600 500	Te				
15 115 66/06/04	etil Sands & Gravil	1			
15 45 CALOTTON	IN JANUA V VINUIL		1	· · · · · · · · · · · · · · · · · · ·	
		1			
			 		
				AL AVELLE	
	_		+		4
	<u> </u>		1		
			1		
	ac				a.,
	, <u>, q J</u>				
	01,00				
	(V V			***************************************	
	1				A THE RESERVE OF THE PERSON OF
\			L		4
7 CONTRACTOR'S OR LANDOWNER'S					
completed on (mo/day/year) /	~ /				nowledge and belief. Kansas
Water Well Contractor's License No	.4.5./ This Water We				17/10/2
nder the business name of	Reman WILL Drift.	4	by (signa	ture)	1 CHYP)