


1 LOCATION OF WATER WELL: Fraction NE 1/4 SW 1/4 NW 1/4 Section Number 30 Township Number T 9 S Range Number R 8 E N
 County: POTTAWATOMIE

Distance and direction from nearest town or city street address of well if located within city?
FROM MANHATTAN: 1.5 MILES ON HWY 24, 1 MILE EAST, 1/2 MILE NORTH AND 3/4 EAST

2 WATER WELL OWNER: BOB HADNES 20 ACRES AT ROCKY FORD FISHING AREA
 RR#, St. Address, Box # : 226 FURONHAM Board of Agriculture, Division of Water Resources
 City, State, ZIP Code : MANHATTAN, KS 66503 Application Number: —

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL 46 ft. ELEVATION: —
 Depth(s) Groundwater Encountered 1 31 ft. 2 — ft. 3 — ft.
 WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr 4/14/06
 Pump test data: Well water was — ft. after — hours pumping — gpm
 Est. Yield 50 gpm: Well water was — ft. after — hours pumping — gpm
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes — No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No —

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped —
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded —
2 PVC 4 ABS 7 Fiberglass Threaded —
 Blank casing diameter 5 in. to 36 ft., Dia — in. to — ft., Dia — in. to — ft.
 Casing height above land surface 24 in., weight — lbs./ft. Wall thickness or gauge No. SDR 7.1
 TYPE OF SCREEN OR PERFORATION MATERIAL: PVC 10 Asbestos-Cement
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify) —
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) — ft.
 SCREEN-PERFORATED INTERVALS: From 36 ft. to 46 ft., From — ft. to — ft.
 From — ft. to — ft., From — ft. to — ft.
 GRAVEL PACK INTERVALS: From 28 ft. to 46 ft., From — ft. to — ft.
 From — ft. to — ft., From — ft. to — ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other —
 Grout Intervals: From 0 ft. to 23 ft., From — ft. to — ft., From — ft. to — ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
OPEN FIELD
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>18</u>	<u>SANDY SILT</u>			
<u>18</u>	<u>28</u>	<u>SAND, FINE</u>			
<u>28</u>	<u>38</u>	<u>SAND, MED. TO COARSE</u>			
<u>38</u>	<u>41</u>	<u>CLAY, GRAY</u>			
<u>41</u>	<u>46</u>	<u>SAND, MED. TO COARSE</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/14/06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 760. This Water Well Record was completed on (mo/day/yr) 4/14/06 under the business name of ASSOCIATED DRILLING INC by (signature) [Signature]