

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:		County POTAWATOMIE	Fraction NW 1/4 NW 1/4 NW 1/4	Section number 7	Township number T 9 S R 8 E W	Range number 8 E W
2. Distance and direction from nearest town or city: 6 N of			3. Owner of well: Don Hunniger			
Street address of well location if in city: MANHATTAN			R.R. or street: 1903 TULIP TERRACE			
			City, state, zip code: MANHATTAN, KS 666502			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 8 in. Completion date _____		
				Well depth 280 ft. 6-15-78		
				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug		
				<input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry		
				<input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock		
				<input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material PVC Height: Above or below		
				Threaded _____ Welded _____ Surface 29 in.		
				RMP _____ PVC 9L Weight 258 lbs./ft.		
				Dia. 5 in. to 22 ft. depth Wall Thickness: inches or		
				Dia. _____ in. to _____ ft. depth gage No. 274		
5. Type and color of material		From	To	10. Screen: Manufacturer's name _____		
TOP SOIL		0	2	Dumpco MRI		
Limestone, grey, yellow		2	18	Type PVC Dia. 5		
shale, yellow, Red		18	69	Slot/gauge 020 Length 20'		
Limestone, grey, shaly		69	109	Set between 60 ft. and 120 ft.		
shale, grey,		109	153	160 ft. and 220 ft.		
Limestone grey		153	164	Gravel pack? <input checked="" type="checkbox"/> Size range of material 1030x080		
shale, grey,		164	196	11. Static water level: _____ mo./day/yr.		
Limestone grey		190	220	62 ft. below land surface Date 6-15-78		
shale, grey,		220	225	12. Pumping level below land surfaces:		
Limestone grey, grey p		225	290	_____ ft. after _____ hrs. pumping _____ g.p.m.		
shale, grey, Blk		290	265	_____ ft. after _____ hrs. pumping _____ g.p.m.		
Limestone grey, grey p		265	280	Estimated maximum yield 4 g.p.m.		
shale, grey				13. Water sample submitted: _____ mo./day/yr.		
				Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date _____		
				14. Well head completion: CAP		
				<input type="checkbox"/> Pitless adapter 24 Inches above grade		
				15. Well grouted? <input checked="" type="checkbox"/>		
				With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete		
				Depth: From 0 ft. to 10 ft.		
				16. Nearest source of possible contamination:		
				ft. 200 Direction N Type SEPTIC		
				Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: <input checked="" type="checkbox"/> Not installed		
				Manufacturer's name _____		
				Model number _____ HP _____ Volts _____		
				Length of drop pipe _____ ft. capacity _____ g.p.m.		
				Type:		
				<input type="checkbox"/> Submersible <input type="checkbox"/> Turbine		
				<input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating		
				<input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		19. Remarks:		20. Water well contractor's certification:		
Topography:		OWNER TO INSTAL SLAB		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
<input checked="" type="checkbox"/> Hill				STRADER DRIG CO INC 182		
<input type="checkbox"/> Slope				Business name _____ License No. _____		
<input type="checkbox"/> Upland				Address RT 1 HOLTON, KS		
<input type="checkbox"/> Valley				Signed Dale Ashm Date 6-19-78		
				Authorized representative		