11000	ON OF WAR	-D \4/E-: :		R WELL REC	ORD For		KSA 82a-1		
	ON OF WAT	R WELL: liley	Fraction NW 1/4	SW 3	, 81187	Sec	tion Number 19		
County: Distance an			t town or city street ad				13	T 9 s	R 8
				5800A Rive			attan, KS		
			Dept of Wildife						
RR#, St. Ad	dress, Box #	: 580	0A River Pond	Rd				Board of Agriculture,	Division of Water Resource:
			nhattan, KS 665	02				Application Number:	
3 LOCATE	WELL'S LO N SECTION E	CATON W BOX:	TITH 4 DEPTH OF C	OMPLETED	WELL	20	) # ELEY	/ATION:	1029.46
	N	,0,1.	Denth(s) Ground	water Encour	tered 15	1!	5 ff	2 #	<b>1029.46</b>
<b>+</b>   <b>-</b>		i	WELL'S STATIC	WATER LEV	/EI	11 #	helow land s	urface measured on mo/d	12/02/15
	NW	! NE							rs pumping Gpm
l x		 !							rs pumping
₩ W L		_ i	F Para Hala Diama	Opin.	In to	was 2(	```	t. arter nou	is pulliplingGpii
7	i	į	WELL WATER T	O BE USED	ĀS: 5 Pu	iblic water si	upply	8 Air conditioning	in. to Fi 11 Injection well 12 Other (Specify below)
-	_sw	_ SĖ	1 Domestic	3 Feed lo	t 6 Oi	field water	supply	9 Dewatering	12 Other (Specify below)
	1	!	2 Irrigation	4 Industri	al 7 La	wn and gard	den (domesti	) 10 Monitoring well	MW-1
', L	S								es, mo/day/yr sample was
	5		Submitted					ter Well Disinfected? Yes	
5 TYPE OF	F BLANK CA	SING USE	D:	5 Wrough	t Iron	8 Concre			lued Clamped
1 Ste	el	3 Ri	MP (SR)	_			(specify belo		'elded
2 PV	С	1 4 AE	BS .	7 Fibergla			` .	· · · · · · · · · · · · · · · · · · ·	readed X
				Ft					
Blank casing	g diameter	2	in. to 10	Dia Dia		In. t	io	ft., Dia	in. toft.
Casing heigh	ht above land	surface	FLUSH	In., weight _	SC				No.
TYPE OF S	CREEN OR F	PERFORA	TION MATERIAL:					10 Asbestos-ce	
1 Stee				5 Fibergla	IS\$	8	RMP (SR)	11 Other (speci	fy)
2 Bras			alvanized steel	6 Concret			ABS	12 None used (	•
		HON OPE	NINGS ARE:  3 Mill slot	***************************************		d wrapped		9 Drilled holes	11 None (open hole)
	ntinuous slot evered shutter		4 Key punched		7 Torch	• •			
	ERFORATED						# 5	rom	ft. to ft.
SCREEN-PE	EKFORATEL	INIERVA							
CAL	ID PACK INT	EDVALC:	From	!! 'R #	. 10	20	il. F	rom	ft. to Ft
SAN	ID PACK INT	ERVALS.	From						
6 000UT	A A TEDIAL	4 11	····						ft. to Ft
<u>v</u> GROUT	MATERIAL:	7 Ne	eat cement 2	Ft.		3 Ben	tonite	4 Otner	
Grout Interva	als From2	0.5	ft. to 6	From3	6	to	8	ft. From	ft. to ft.
			ole contamination:	777					Abandoned water well
1 Sep	tic tank		4 Lateral lines	7	Pit privy		11 Fuels	torage 15	Oil well/ Gas well
2 Sev	ver lines		5 Cess pool	8	Sewage la	agoon	12 Fertili	zer storage 16	Other (specify below)
3 Wat	tertight sewer	lines	6 Seepage pit	9	Feedyard		13 Insect	icide storage	Contaminated Site
Direction from	m well?						How many	feet?	
FROM	TO	CODE	LITHOL	OGIC LOG		FROM	TO	PLUGGING	INTERVALS
0	0.25		Asphalt (Parkin	g) ~3"					
0.25	20		Silty Clay				1		
20	TD		End of Borehol	<u>e                                      </u>			<u> </u>		
				-	<del> </del>				
<del></del>						<del> </del>	╁		WWW.
							†		**************************************
						<b>†</b>			
							-		
							+ +		
7 CONTRA	CTOR'S OR	LANDOW	NER'S CERTIFICATION	ON: This wate	er well was	(x) construc	ted, (2) reco	nstructed, or (3) plugged i	under my jurisdiction and w
			11/23						
			·	585		This W	ater Well Re	cord was completed on /n	ledge and belief. Kansas no/day/yr) 12/18/15
			Associate	ed Enviro	nmental			(signature) <b>Bradley</b>	
under the him						, <del>-</del> -	رن	(	
under the bu	ICTIONS:. Ple	ase fill in bl	anks and circle the corre	ct answers. S	end three co	pies to Kansa	as Department	of Health and Environment,	Burger of Vater, Topeka,
INSTRU	ICTIONS:. Ple	ase fill in bl	anks and circle the corre 913-296-5545. Send o	ect answers. Some to WATER	end three co WELL OWN	pies to Kansa ER and retain	as Department one for your	of Health and Environment, ecords.	Bury of Vater, Jopeka,