KOLAR Document ID: 1527806

	WELL R			WWC-5		ision of Wat						
		Correction		ge in Well Use		ources App. 1			Well ID			
		ATER WEL	.L:	Fraction		ction Numbe	er	Township Numb		ge Number		
County: 1/4 1/4 1/4												
						treet or Rural Address where well is located (if unknown, distance and						
Business:	Address: di						irection from nearest town or intersection): If at owner's address, check here:					
Address:												
City:			State:	ZIP:								
3 LOCAT	E WELL	4.00000					_					
4 DEPTH OF COMPLETED WELL:												
SECTIO	SECTION BOX: Depth(s) Groundwater Encountered: 1)					Longitude:(decimal degrees)						
Ν	2) ft. 3) ft., or 4) WELL'S STATIC WATER LEVEL:						Datum: 🗌 WGS 84 🔲 NAD 83 🔲 NAD 27					
				yr)		Source for Latitude/Longitude:						
NW	NE			yr)		(WAAS enabled? Yes No)						
19 **	NE	Pump test da				Land Survey Topographic Map						
w	ХЕ	-	hours									
		Well water was ft.										
SW	SE		after hours pumping gpn			6 Elevation: ft Crownd Lavel TOC						
		Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC						
	S	Bore Hole I	Bore Hole Diameter: in. to			Source: Land Survey GPS Topographic Map Other						
7 WELL WATER TO BE USED AS:												
1. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?												
	□ Lawn & Garden 7. □ Aquifer Recharge: well ID											
	Livestock Livestock Sarden 7. Aquiter Recharge: well ID											
2. 🗌 Irrigati												
3. \Box Feedlot 9. Environmental Kenediatoh. wen D 3. \Box Feedlot \Box Air Sparge \Box Soil Vapor E						a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water						
4. 🗌 Industr			Recovery			13. Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots$												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.												
		e contaminati		potential source of cont					.1. 0.			
□ Septic ' □ Sewer]			Lateral Line			Livestock Pe			cide Storage			
	Lines ight Sewer Lir		Cess Pool Seepage Pit	☐ Sewage Lag ☐ Feedyard		Fuel Storage Fertilizer Sto			oned Water ' ll/Gas Well	well		
						r crunzer St	Jage		n/Jas well			
Other (Specify) Direction from well? ft.												
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		GINTERVALS		
		-										
	<u> </u>											
					Notes:							
11 CONT	RACTOR'S	OR LANDO	OWNER'S	S CERTIFICATION	: This wate	r well was		nstructed, \Box reco	nstructed.	or plugged		
under my ju	urisdiction ar	nd was compl	eted on (n	no-day-year)	and	this record	is tru	e to the best of my	y knowledg	ge and belief.		
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ter Well Red	cord was con	mple	ted on (mo-day-ye	ear)			
under the b	usiness name	<u>e of</u>					<u></u>	<u></u>				
KS Donorte				ELL OWNER and retain of Vater Geology Section 10						785-206 2565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												