KOLAR Document ID: 1607284

	WELL R	ECORD Correction		WWC-5 ge in Well Use		vision of Wat			Well ID		
			Fraction		Resources App. No Section Number		Township Numbe		ge Number		
1LOCATION OF WATER WELL:FractionCounty:1/41/4						$\begin{array}{c c} T & S \\ T & S$					
	OWNER: La	ast Name:				r Rural Address where well is located (if unknown, distance and					
Business:		ist i vuille.				irection from nearest town or intersection): If at owner's address, check here:					
Address:											
Address: City:			State:	ZIP:							
3 LOCAT	F WFI I			L							
WITH "				f		5 Latitude:(decimal degrees)					
SECTIO		Depth(s) Gr			Long	gitud	e:		(decimal degrees)		
N	1	2) ft. 3) ft., or 4) Dry V WELL'S STATIC WATER LEVEL:					Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27				
		below land surface, measured on (mo-day-yr)					Source for Latitude/Longitude:				
NW	NE	above land surface, measured on (mo-day-yr)						WAAS enabled?			
10,00		Pump test data: Well water was ft.					□ Land Survey □ Topographic Map				
w	E	after	s pumping		Online Mapper:						
SW	SE	C.	vater was f								
		after hours pumping gpm Estimated Yield:gpm				6 Eleva	6 Elevation:ft. Ground Level TOC				
	s	Bore Hole Diameter: in. to ft. and				Source: Land Survey GPS Topographic Map					
1 n	nile	in. to ft.				☐ Other					
7 WELL WATER TO BE USED AS:											
1. Domestic:				ater Supply: well ID							
							: well ID				
□ Lawn &						Cased Uncased Geotechnical					
2. Irrigati							12. Geothermal: how many bores?a) Closed Loop □ Horizontal □ Vertical				
3. \Box Feedlo			☐ Air Sparge ☐ Soil Vapor Extract				b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water				
4. 🗍 Industr			Recovery		13. Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Septic '			Lateral Line			Livestock P	ens	Insectici	de Storage		
			Cess Pool	Sewage La		Fuel Storage		Abandor			
	ight Sewer Lin		Seepage Pit	Feedyard		Fertilizer St	orage	Oil Well	l/Gas Well		
Direction from well? ft.											
10 FROM	TO TO		ITHOLO		FROM	ТО		ft. HO. LOG (cont.) or I	DUCCIN	GINTEDVALS	
IU PROM	10	L		310 100	TROM	10				JINTERVALS	
					NI - 4 -						
					Notes:						
11 CONT	RACTOR'S	OR LANDO	OWNER'S	S CERTIFICATION	This wate	er well was		onstructed, \Box recor	nstructed.	or plugged	
under my ju	urisdiction an	d was compl	eted on (n	no-day-year)	and	this record	is tru	e to the best of my	knowled	ge and belief.	
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ter Well Re	cord was co	mple	eted on (mo-day-yea	ar)		
under the b	usiness name	Send one copy to	WATER W	/ELL OWNER and retain of	ne for your rec	ords. Fee of \$	5.00 f	or each constructed well	<u></u> 1	<u></u>	
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
Visit us at h	ttp://www.kdhel	ks.gov/waterwel	l/index.html						KS	SA 82a-1212	