WATER WELL REC		WWC-5		sion of Water				
Original Record Correction Change in Well Use				urces App. No		Well ID		
1 LOCATION OF WAT		Fraction		tion Number	1	<u> </u>		
County: 05 young	1/4NE 1/4 NW 1/4	5'E 1/4		T 10 S	$R / Q \square E \square W$			
2 WELL OWNER: Last Name: Apple Gate First: 54500 Street or Rural Address where well is located (if unknown, distance and direction from percent town or interception). If at owner's address, about born of the control								
Business: Address:    Address								
Address:	P.O. 130	ox res						
City: Luray State: K5 ZIP: 67/49-0122								
A								
SECTION BOX:		Encountered: 1)		Longitude: 74.645.222 (decimal degrees)				
N		ATER LEVEL:		Datum: WGS 84 NAD 83 NAD 27				
		e, measured on (mo-day-		Source for Latitude/Longitude:  GPS (unit make/model:)				
				(WAAS enabled? Yes No)				
	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map				
w				Online Mapper:				
SW SE	Well water was ft.							
	arter hours pumping gpin			6 Florest	ion: fi	Ground Lovel D TOC		
	Estimated Yield: Cgpm			6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map				
S   E				Other				
7 WELL WATER TO BE USED AS:								
1. Domestic:		Joton Committee avail ID		10 🗀 0:1	Eigld Water Cumples 1	2000		
	. Domestic: 5. ☐ Public Water Supply: well ID							
Lawn & Garden				☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock	8. Monitoring: well ID				12. Geothermal: how many bores?			
2.  Irrigation				a) Closed Loop  Horizontal  Vertical				
3. Feedlot				b) Open Loop  Surface Discharge  Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:								
Water well disinfected?				,	1			
8 TYPE OF CASING US		VC Other	CASIN	IG JOINTS:	☐ Glued ☐ Clampe	d  Welded  Threaded		
Casing diameter								
Casing height above land surf	àce i	n. Weight	lbs./ft.	Wall thick	ness or gauge No			
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORAT  Continuous Slot			ach Cut. 🗆 D	uillad ITalaa	Consider			
	Key Punched		w Cut					
SCREEN-PERFORATED						ft to ft		
		om ft. to						
9 GROUT MATERIAL: Neat cement Cement grout Elentonite Other Grout Intervals: From ft. to ft. ft. ft. ft. ft.								
Nearest source of possible co		,		,				
☐ Septic Tank	Lateral Lin			Livestock Per		cide Storage		
Sewer Lines	Cess Pool	☐ Sewage Lag		Fuel Storage		oned Water Well		
	☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
☐ Other (Specify)								
		·····			-			
Direction from well?		Distance from we	 ell?		ft			
Direction from well?   10 FROM   TO	LITHOLO	·····	ell?	ТО	ft LITHO. LOG (cont.) o	r PLUGGING INTERVALS		
Direction from well?	LITHOLO	Distance from wo	FROM   50	TO 3	ft LITHO. LOG (cont.) o	r PLUGGING INTERVALS		
Direction from well?	LITHOLO TOPSOIL Lim-stone	Distance from we	ell?	ТО	ft LITHO. LOG (cont.) o	r PLUGGING INTERVALS		
Direction from well?	LITHOLO TOPSOIL Lime stone Brown clay	Distance from we	FROM   50	TO 3	ft LITHO. LOG (cont.) o	r PLUGGING INTERVALS		
Direction from well?	LITHOLO TOPSOIL Lim-stone	Distance from we	FROM   50	TO 3	ft LITHO. LOG (cont.) o	r PLUGGING INTERVALS		
Direction from well?	LITHOLO TOPSOIL Lime stone Brown clay	Distance from we	FROM   50	TO 3	ft LITHO. LOG (cont.) o	r PLUGGING INTERVALS		
Direction from well?	LITHOLO TOPSOIL Lime stone Brown clay	Distance from we	FROM 50	TO 3	ft LITHO. LOG (cont.) o	r PLUGGING INTERVALS		
Direction from well?	LITHOLO TOPSOIL Lime stone Brown clay	Distance from we	FROM   50	TO 3	ft LITHO. LOG (cont.) o	r PLUGGING INTERVALS		
Direction from well?	LITHOLO TOPSOIL Lime stone Brown clay	Distance from we	FROM 50	TO 3	ft LITHO. LOG (cont.) o	r PLUGGING INTERVALS		
Direction from well?	LITHOLO TOPSOIL Limestone Brown clay Shale	Distance from we DGIC LOG  Rock Shafe	FROM SO S Notes:	TO 3	LITHO. LOG (cont.) o  Bentonite TOP Sor	r PLUGGING INTERVALS Plug		
Direction from well?	LITHOLO TOPSOIL Limestone Brown clay Shale	Distance from we DGIC LOG  Rock Shalx  'S CERTIFICATION	FROM  FROM  FROM  SO  Notes:	TO 3	LITHO. LOG (cont.) of Bentonike TOP Soil	onstructed, or plugged		
Direction from well?  10 FROM TO  O 3  3 80  20 40  40 50  11 CONTRACTOR'S O under my jurisdiction and Kansas Water Well Contra	LITHOLO TOPSOIL ASMESTON E BYOUNG FANDOWNER R LANDOWNER was completed on (notor's License No.	Distance from we DGIC LOG  Rock Shale  'S CERTIFICATION mo-day-year)	Notes:  This water Well Recommendation with the second sec	TO  3  well was  this record is	constructed, rec	onstructed, or plugged by knowledge and belief.		
Direction from well?  10 FROM TO  3 3 8 0 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	LITHOLO TOPSOIL L'M-5100 e Brown clay Shale  R LANDOWNER was completed on ( actor's License No. f	Distance from we DGIC LOG  Rock Shale  'S CERTIFICATION mo-day-year)	Notes:  This water well Recommend ater Well Recommend at the second at t	TO  3  well was this record is ord was com	Constructed, recent to the best of mapleted on (mo-day-y	onstructed, or plugged by knowledge and belief.		

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html