		THE RESERVE OF THE PERSON NAMED OF THE PERSON	TER WELL REC	CORD	Form WWC-				
	CION OF WAR	ATER WELL:	NE 1/4	NW	14 NW	See	ction Number 17	Township Number	
Distance	and direction	from nearest to	wn or city street			d within city?			
2 WATE	R WELL OW	NER: Master	rs Oil				TO THE STREET A RELIGIOUS AND ADDRESS OF THE STREET	TANK IN AND AND AND AND AND AND AND AND AND AN	Annual to a second control of the co
RR#, St. Address, Box # : 718 N 2nd St City, State, ZIP Code : Natoma, KS 67651					Board of Agriculture, Division of Water Resources Application Number: 00376554				
			4 DEPTH OF C		TED WELL .30)	ft. ELEVAT	ION: 1832.78	
	IN SECTION	BOX:	Depth(s) Ground WELL'S STATI Pu Est. Yield .2 WELL WATER	ndwater C WATE mp test TO BE	Encountered R LEVEL 19.69 data: Well wa gpm: Well war USED AS: 5	1 19.69 ft. bel ter was ter was Public water	ow land surface ft. a ft. a supply	e measured on mo/day/y fterho fterho 8 Air conditioning	. ft. 3
w_	1		1 Domestic 2 Irrigation			Oil field wate Domestic (lar		9 Dewatering 10 Monitoring well	12 Other (Specify below)
	-sw-	SE -	Was a chemica mitted	al/bacter	bacteriological sample submitted to Department? Yes No $.x$; If yes, mo/day/yrs sample was Water Well Disinfected? Yes No x				
5 TYPE	OF BLANK	CASING USED:	with the control of the control ways and control ways	5 Wro	ught iron	8 Concr	ete tile	CASING JOINTS:	Glued Clamped
1 Ste 2 PV		3 HMP (S 4 ABS	H)	6 Asb	estos-Cement ergiass		(specify below)		Welded
Blank cas	ing diameter	2	in. to		ft., Dia .		in. to	ft., Dia	ft.
Casing he	eight above l	and surface belo	ow 6	in.,	weight 0.70			bs./ft. Wall thickness or	guage No. sch 40
TYPE OF	SCREEN O	R PERFORATIO		7P		_			
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Stee				5 Fiberglass 8 RM 6 Concrete tile 9 AE		MP (SR) BS			
SCREEN	OR PERFO	RATION OPENII	NGS ARE:			azed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot 2 Louvered shutter 4 Key punched 5 Wire wrapped 7 Torch cut 10 Other (specify)									t.
SCREEN	-PERFORAT	ED INTERVALS	From .28		ft. to .3	0	ft., From		ft. toft.
	GRAVEL PA	ICK INTERVALS	From24.8.		ft. to	30	ft., From	***************************************	ft. to
6 GRO	UT MATERIA	AL: 1 Nea	it cement	2 0	ement grout	3 Ben	tonite 4	Other	
Grout Inte	ervals: Fro	m 24.8	It. to 1.5		ft., From 1.5	ft.	o concrete	ft., From	ft. toft.
What is the nearest source of possible contaminati							10 Livest	ock pens	14 Abandoned water well
1 Septic tank 4 Lateral line			ral lines	7 Pit privy		у	11 Fuel s	lorage	15 Oil well/Gas well
2 Sewer lines 5 Cess poor			s poo!	8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
3 Waterlight sewer lines 6 Seepage pit				9 Feedyard		13 Insecticide storage			
	from well?	outh					How man		
FROM	ТО		LITHOLOGIC	CLOG		FROM	то	PLUGGIN	NG INTERVALS
0	1	topsoil	angulangganan kenaga di peleberahan salah kerabahan Seladi P	tentral and the second such the					
1	10	Silt - clayey s							
10	24	Silt with clay	N CONTRACTOR OF THE STATE OF TH						
24	30	Silty Clay		- Althorism and the second and the decident					
tite and the second			****						
		(4)							
						 			
						-			
	1								
*************			is designed to the second of t						
7 CONT	RACTOR'S	OR LANDOWNE	R'S CERTIFICA	TION: T	his water well	was [1] constr	ucted, (2) reco	nstructed, or (3) plugge	d under my jurisdiction and was
completed on (mo/day/year) 04-20-06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 554. This Water Well Record was completed on (mo/day/yr/) 05-22-06									
	II Contractor'		ofter Pump & V			er Well Record		d on (mo/day/yr) 05-22 signature)	06 //
					August . et us. etilosomo como cost, renicibitos como et	ace fill in stanks		July 1/1	copies to Kansas Decartment of Health
and Envi	ronment, Bureau	of Water, Geology Se each <u>constructed</u> well	ection, 1000 SW Jacks	ion St., Sui	te 420. Topeka, Kan	sas 66612-1367 Te	elephone 785-296-5	22. Send one to WATER WELL	OWNER and retain one for your