		L RECORD	Form WWC-5	5		Water Resources; App. No.		
1 LOCATION OF WATER WELL: County: Osborne			Fraction SW 1/4 NE 1/4 NV	N 1/4	Section Number Township Number Range Numb T 10 S R 15			
County: Osborne SW 1/4 NV 1/4 NV 1/4 17 T 10 S R 15 E/W Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)								
1		city? N 1st & Elm Street, Nato	•			<b>.</b>		
		- N 1st & Elli Street, Nato	, 110 07001		Longitude:			
2 WA	TER WE	LL OWNER: Mr. Eldon Luhn	an(!)		Longitude: Elevation:			
	#, St. Addr	ess, Box # : coo Missism Die			Datum:			
City	y, State, ZI	P Code : Colby, KS 6770	•		Data Collection	on Method:		
3 LO	CATE WE	LL'S 4 DEPTH OF COMP	LETED WELL 27	CTED WELL .27 ft.				
	CATION		DETED TEEL	•••••	•••••			
WIT SEC	TH AN "X" TION BO N WNE	X: WELL'S STATIC WA Pump test data: Est. Yield?gpm: WELL WATER TO BE 1 Domestic 3 Feed 2 Irrigation 4 Indu	TER LEVEL 19.26  Well water was  Well water was  USED AS: 5 Public flot 6 Oil field water was	water su	below land surift. afterft. aftersupply 8 / pply 9 1	face measured on mo/day	/yr <b>5-29-08</b>	
Sample was submitted								
	E OF CAS Steel	ING USED: 5 Wrought In 3 RMP (SR) 6 Asbestos-0	ron 8 Concre Cement 9 Other (	ete tile (specify	CAS below)	GING JOINTS: Glued Welded	Clamped	
	PVC	4 ABS 7 Fiberglass				Welded Threaded ft., Diameter	L	
Blank c	asing diam	eter2 in. to 17	ft., Diameter	i	n. to	ft., Diameter	in. toft.	
Casing height above land surface :-05 in., Weight 0.70 lbs./ft. Wall thickness or guage Noschedule 40								
TYPE (	OF SCREE	N OR PERFORATION MATE	RIAL:					
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 0.020 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From 17       ft. to 27       ft., From ft. to ft.         From 15       ft. to ft., From ft. to ft.         GRAVEL PACK INTERVALS: From 15       ft. to ft.								
	CDAVEL	PACK INITEDIALS. From		7 · · · · · · ·	II., From	1 IT. to	It.	
	GRAVEL	From		• • • • • • • • • • • • • • • • • • • •	ft From	1	π.	
		rioii		• • • • • • • • • • • • • • • • • • • •	11., 11011	1 11. 10	It.	
6 GRO	UT MATI	ERIAL: 1 Neat cement 2 C	Cement grout 3 Bent	onite	4 Other			
	ntervals:	From .Q ft. to .15	ft., From		ft. to	ft., From	ft. to ft	
		source of possible contamination				,		
	Septic tank	-		Livesto	ock pens 13	Insecticide Storage	16 Other (specify	
2	Sewer line	s 5 Cess pool 8	8 Sewagedagoon 11	Fuel st	orage 14	Abandoned water well	below)	
3	Watertight	sewer lines 6 Seepage pit	9 Feedyard 12	Fertiliz	er Storage 15	Oil well/gas well		
Directio	n from we	1?	Но			······		
FROM	TO	LITHOLOGIC	LOG	FROM	TO	PLUGGING INT	ERVALS	
0	4	Silt						
4	16	Fill Sand						
16	27	Silty Clay				WW.F		
			73540					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) 5-22-08								
		l Contractor's License No. <b>55.4</b> ./			•			
under th	e business	name of Woofter Pump & We	11	b	y (signature)	you worth		
INSTRUC	CTIONS: U	se typewriter or ball point pen. <u>PLEAS</u> Department of Health and Environment	SE PRESS FIRMLY and PR	INT clear	ly. Please fill in b	lanks, underline or cittle the c	orrect answers. Send top	
785-296-5	es to Kansas 522. Senr	Department of Health and Environment  i one to WATER WELL OWNE	, pureau of water, Geology R and retain one for	y Section, your re	cords. Fee of	5.00 for each constructe	66612-1367. Telephone d well. Visit us at	
		s.us/geo/waterwells.	14 616 - 701	,		to the committee	a won. Fint us at	