WATE	R WEL	L RECORD	Form WWC	C-5	Division of Wa	ter Resources; App. No.		
		OF WATER WELL:	Fraction SW 1/4 NE 1/4	NW 1/	Section Number			
Cour	ity: Osbo	rne rection from nearest town or c				T 10 S	R 15 E/W	
			Global Positioning Systems (decimal degrees, min. of 4 digits)					
located within city? N 1st & Elm Street, Natoma, KS 67651					Latitude:			
2 WATER WELL OWNER: Fide a laboration					Longitude:	Longitude:		
RR# St Address Box # . Mr. Eldon Lunman					Elevation:			
City, State, ZIP Code 600 Mission Ridge Apt 5					Datum:			
		Colby KS 67	701		Data Collection	Method:		
	CATE WE	LL'S 4 DEPTH OF COM	PLETED WELL	<i>:</i> :	f	t.		
	CATION				Δ (Δ)	2 (2)		
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)								
	N	Pump test dat	a: Well water was	• • • • • • • • • • • • • • • • • • • •	II. atter	hours pumping	gpm	
		WELL WATER TO	ii: well water was	lie weter	II. atter 8 Ai	hours pumping.	action well	
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
w			dustrial 7 Domes	u water s tic (lawn	& garden) 10 Mg	onitoring well MW-6	ner (Specify below)	
'		į į	adsiriar / Doines	iio (iamii	a garden) ito ivi	mitoring wen wiw-o		
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs								
	Sample was submitted							
	S							
5 TVDI	COECAS	INC USED: 5 Wrought	Iron & Con	crete tile	CASIN	IC IOINTS: Clued	Clampad	
1	Steel	3 RMP (SR) 6 Ashestos	-Cement 9 Othe	er (specifi	v below)	Welded	Cramped,	
12	PVC	ING USED: 5 Wrought 3 RMP (SR) 6 Asbestos 4 ABS 7 Fiberglas	s	or (specif	, , , , , , , , , , , , , , , , , , , ,	Threaded	·	
Blank ca	sing diam	eter .2 in. to 17	ft Diameter		in to ft	Diameter	in to ft	
Casing	neight abov	e land surface05	in., Weight 0.70		lbs./ft. Wall th	nickness or guage No.	schedule 40	
		OR PERFORATION MATE						
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 0.0205 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From. 17. ft. to 27. ft., From ft. to								
From* ft. to								
From								
		Trom			11., 1 10111 .	11. 10 .,	It.	
6 GRO	UT MATI	RIAL: 1 Neat cement 2	Cement grout 3 B	entonite	4 Other			
Grout In		From .0 ft. to .15.	ft., From		. ft. to	ft., From	ft. toft.	
What is	the nearest	source of possible contamina	tion:					
	Septic tank					secticide Storage	16 Other (specify	
	Sewer line	•		il Fuel s		Abandoned water well	below)	
		sewer lines 6 Seepage pit				Dil well/gas well		
		1?						
FROM	TO	LITHOLOGIC	CLOG	FROM	M TO	PLUGGING INT	ERVALS	
0		Grass / Topsoil						
1	17	Clayey Silt				*****		
17	27	Silty Clay						
				-				
· · · · · · · · · · · · · · · · · · ·				-				
7.00N	n i caro	NO OD I ANDOMARDIO O	EDTIFICATION: 5	<u> </u>	11 (3)	11 (2)	1 (2)	
7 CONT	RACTO	R'S OR LANDOWNER'S C	ERTIFICATION:	his water	r well was (1) cons	tructed (2) reconstruct	ted, or (3) plugged	
under m	y jurisdicti	on and was completed on (mo	/day/year) 3-40-08	an	a this record is true	to the best of my know	wledge and belief.	
		Contractor's License No. 554			. ,	on (mo/day/year)		
under th	e business	name of Woofter Pump & We e typewriter or ball point pen. PLE.	ACE PRECC EIDAMI V	PRINT ales	y (signature)	ay C/VOOT D	>	
three conic	s to Kansas	e typewriter of ball point pen. <u>PLE</u> Department of Health and Environme	int, Bureau of Water, Geol	ogy Section	i, 1000 SW Jackson St.	Suite 420, Topeka Kansas	66612-1367. Telephone	
785-296-5	522. Seno	one to WATER WELL OWN	NER and retain one f	or your i	records. Fee of \$	5.00 for each constructe	d well. Visit us at	
http://www	v.kdhe.state.k	s.us/geo/waterwells.						