1 LOCATION OF WATE	ER WELL:		K WELL REC	ORD Form		KSA 82a-1 tion Number		Number	Range Nu	mber
noned	borne	SW 1/4	NE ½	NW	1/4	17	⊤ 10		R 15	
stance and direction fr	om nearest to	own or city street add				- KC				
WATER WELL OWN	=p. Fldo	ı Luhman	N ISLOC	Elm Street	, Natom	a, No			(i - t vila tinit shikese i maka maka ma
R#, St. Address, Box #			Apt. 5				Board of Ag	iculture Div	vision of Water R	'esources
ty, State, ZIP Code			.,,,,,,				Application N		noion of trator i	.00011000
LOCATE WELL'S LO	CATON WIT	HIA								
AN "X" IN SECTION I		DEPTH OF CO					VATION:			
		Depth(s) Groundv								
N		WELL'S STATIC								
A	!	Pump	test data:	Well water wa	as	F	t. after	hours	pumping	Gpm
X	NF	Est. Yield	Gpm: '	Well water wa	as	F	t. after	Hours	pumping	Gpm
	i	Bore Hole Diamet	er 8.62 5	In. to		3	ft, and		n. to	Ft.
W W		E WELL WATER TO 1 Domestic) BE USED A	AS: 5 Publi	ic water si old water	upply	8 Air condit	ioning 1	1 Injection well 2 Other (Specif	
		2 Irrigation	4. Industri	al 7 Iaww	and dare	suppiy len (domesti	c) 10 Monitori	na well		
SW	SE	Was a chemical/b	acteriologica	ar r Lawr Leamhla eubr	mitted to [Janartmant?	Vae No	X If you	mo/day/yr sam	nla was
	i	Submitted	acteriologica	i sampie subi	milled to I		ter Well Disinfec			-
TYPE OF BLANK SA	SING LISED		5 Wrough	t Iron	8 Concr	ete tile			ed Clam	
1 Steel	3 RMF		-	s-Cement				Wel		ipcu
2 PVC	4 ABS	` '					1	GOMINGORIUS AND MINERAL THE PARTY AND ADDRESS OF THE PARTY AND ADDRESS	eaded	
Beautiful Constitution of the Constitution of	utramanod		7 Fibergla Ft.,							
Blank casing diameter	2	in. to 25	Dia		In. t	lo	ft., Dia		in. to	ft.
Casing height above land	d surface	FLUSH	n., weight	SCF	l 40	Lbs./ft	Wall thickness	or gauge No	o.	
YPE OF SCREEN OR					7		10 As	bestos-cem	ent	
1 Steel	3 Stair	nless steel	5 Fibergla	ISS		RMP (SR)	11 Otl	ner (specify)	
2 Brass		anized steel	6 Concret			ABS	12 110	ne usea (or	en noie)	
CREEN OR PERFORA			accession and annual accessing				8 Saw cut		11 None (ope	n hole)
1 Continuous slot		Mill slot	CONTRACTOR PROPERTY OF THE PARTY.	6 Wire wra	• •		9 Drilled hole			
2 Louvered shutte		Key punched		7 Torch cu			10 Other (spe	ecity)		
SCREEN-PERFORATE	JINTERVAL	5: From	<u></u>	i. 10			From		10	IL.
C A NID DA OK INI	TTT) / A L O	From	17 .	to	28	П. І	From		10	Fl.
SAND PACK IN	IERVALS:						From			
S ODOLE MATERIAL		From		i. to		-	rom		to	Ft.
GROUT MATERIAL:	1 Nea	t cement 2	Cement grou Ft.	ıt	3 Ben Ft.	tonite	4 Other			
Grout Intervals From3	1	ft. to 17	From3		to		ft. From		ft. to	ft.
What is the nearest sour							tock pens			
 Septic tank 		4 Lateral lines	7	Pit privy		11 Fuel	storage	15 <u>O</u>	i well/ Gas well	
2 Sewer lines		5 Cess pool	8	Sewage lag	joon	12 Fertil	izer storage	16 O	her (specify belo	ow)
3 Watertight sewer	r lines	6 Seepage pit	9	Feedyard		13 Insec	ticide storage	Co	ontaminated	Site
Direction from well?						How many	feet?			
FROM TO	CODE	LITHOL	OGIC LOG		FROM	TO	Р	LUGGING I	NTERVALS	
0 6		ILT								
6 19		ILL Sand								•
19 28		ilty CLAY								
28 TD	E	nd of Borehol)							
			and the second s				+40			
									W. C.	7.7.4
										Pr-t-Oshamo oshamo osa

						-				
	+									
	R LANDOWN	ER'S CERTIFICATION)N· This wat	er well was (() constru	cted (2) rec	onstructed or (3)	nlugged ur	der my jurisdicti	on and w
Completed on (mo/day/y										
Water Well Contractor's	l icense No		585				ecord was compl			/28/10
under the business name		Associate	ed Enviro	nmental			By (signature)			#
INSTRUCTIONS:. P	lease fill in bla	nks and circle the corre	ect answers. S	end three cop	ies to Kans	sas Departme	nt of Health and Er	virging nt.	Area of Natore	agaka
Kansas 66620-0001.	Telephone: 9	913-296-5545. Send o	ne to WATER	WELL OWNE	R and retai	n one for you	records.`	as some	Jan	