LOCATION OF WATE	R WELL: Fraction		Form WWC-5 KSA 82 Section Number	Township Num	nber Range Number
unty: Book		1/4 5W 1/4 NV		T 10	S R / E/W
. 1 //	rom nearest town or city street				
	Cast of Coo	Uff Janes			and the second of the second o
	ER: Trocy 319			Board of Agr	iculture, Division of Water Resource
R#, St. Address, Box ty, State, ZIP Code	# Box 130ma	t K		Application N	
	CATION WITH A DEPTH OF	COMPLETED WELL	42 # ELEV		
AN "X" IN SECTION	BOX: Denth(s) Grou	indwater Encountered 1	28	2	ft. 3.
r r	WELL'S STAT	TIC WATER LEVEL	ft below land su	rface measured on n	no/day/yr 4-28-72
	Pi				hours pumping gp
NW -					hours pumping gp
20 i	Bore Hole Dia	ameter <b>/</b> . Ø in. to .	. 92ft.,	and	<b>in. to</b>
w <del>                                     </del>	I WELL WATER	R TO BE USED AS:	5 Public water supply		11 Injection well
SW	SE Domes	tic 3 Feedlot (	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
	2 Irrigation				
	CONTRACTOR DESCRIPTION OF THE PROPERTY AND THE PROPERTY A	cal/bacteriological sample s			; If yes, mo/day/yr sample was s
\$	mitted			ater Well Disinfected	? Yes No Clamped
TYPE OF BLANK CA		5 Wrought iron	8 Concrete tile		Welded
1 Steel	3 RMP (SR) 4 ABS	6 Asbestos-Cement 7 Fiberglass	9 Other (specify belo	**	
last social diameter	4 ABS	/ Fiberglass	in to	ft Dia	
arik casing diameter . seing height shove lar	nd surface 20	in weight	lbs	/ft. Wall thickness or	gauge No
	PERFORATION MATERIAL	The state of the s	77PVC		stos-cement
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other	(specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None	used (open hole)
CREEN OR PERFOR	ATION OPENINGS ARE:	5 Gauze	d wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire v	vrapped	9 Drilled holes	
2 Louvered shutte	er 4 Key punched	7 Torob	And St.	40 00 /- 16 1	
	시작 보다 그 그 그들은 그 그리고 하는 것 같아. 주는 경기가 하고 있는데 하다 보다.	*3	cut 2	The state of the state of the section of the sectio	
SCREEN-PERFORATE		<i>30</i> ft. to	. 42 tt., Fr	om	ft. to
	From	<i>3.0</i>	. 4.2 ft., Fr	om	ft. to
	From	<i>3.0</i>	42ti, Fr tt, Fr 42ti, Fr	om	ft. to
GRAVEL PAC	From K INTERVALS: From From	30 ft. to ft. to ft. to ft. to	42 ft., Fr. 42 ft., Fr. ft., Fr.	om	ft. to
GRAVEL PAC	From CK INTERVALS: From From Neat cement	3.0	# # ft., Fr.	om om om om Other	ft. to
GRAVEL PAC GROUT MATERIAL: Grout Intervals: From	From CK INTERVALS: From From  1 Neat cement 1 ft. to	30	# 2 ft., Fr.  # 2 ft., Fr.  # 5 ft., Fr.  # 6 Bentonite  # 6 ft. to.	om om om om Other ft., From	ft. to
GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou	From  K INTERVALS: From From  Neat cement From  I Neat cement From  I neat cement From  I neat cement From	30ft. to	## ft., Fr. ### ft., Fr. ### ft., Fr. #### ft., Fr. ####################################	om	ft. to
GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to	3.0	## ft., Fr. ### ft., Fr. ### ft., Fr. ### ft., Fr. #### ft. to. #### 10 Live	om	ft. to
GRAVEL PAC GROUT MATERIAL: Grout Intervals: From Vhat is the nearest sou 1 Septic tank 2 Sewer lines	From  CK INTERVALS: From  From  1 Neat cement  1  1 t. to  2 urce of possible contamination  4 Lateral lines  5 Cess pool	30ft. to	## 10 April	om	ft. to
GRAVEL PAC GROUT MATERIAL: Grout Intervals: From Vhat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to	3.0	## ## ## ## ## ## ## ## ## ## ## ## ##	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to. ft. to. ft. to. ft. to  ft. to  ft. to  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe	From  CK INTERVALS: From  From  1 Neat cement  1  1 t. to  2 urce of possible contamination  4 Lateral lines  5 Cess pool	3.0	## ## ## ## ## ## ## ## ## ## ## ## ##	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to
GRAVEL PACE GROUT MATERIAL: Grout Intervals: From Vhat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval i	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to. ft. to. ft. to. ft. to  ft. to  ft. to  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
GRAVEL PACE GROUT MATERIAL: Grout Intervals: From Vhat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 /2 /2 20	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval i	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to. ft. to. ft. to. ft. to  ft. to  ft. to  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
GRAVEL PACE GROUT MATERIAL: Grout Intervals: From Vhat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval i	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to. ft. to. ft. to. ft. to  ft. to  ft. to  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
GRAVEL PACE GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 /2 /2 20	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval i	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to. ft. to. ft. to. ft. to  ft. to  ft. to  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
GRAVEL PACE GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 /2 /2 20	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval i	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to. ft. to. ft. to. ft. to  ft. to  ft. to  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
GRAVEL PACE GROUT MATERIAL: Grout Intervals: From Vhat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 /2 /2 20	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval i	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to
GRAVEL PACE GROUT MATERIAL: Grout Intervals: From Vhat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 /2 /2 20	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval i	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to
GRAVEL PACE GROUT MATERIAL: From Vhat is the nearest sound intervals: Septic tank Septic t	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval i	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to
GRAVEL PACE GROUT MATERIAL: From Vhat is the nearest sound intervals: Septic tank Septic t	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval i	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to
GRAVEL PACE GROUT MATERIAL: From Vhat is the nearest sound intervals: Septic tank Septic t	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval in the service of possible contamination  4 Lateral lines  5 Cess pool  2 Interval in the service of possible contamination  4 Lateral lines	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to. ft. to. ft. to. ft. to  ft. to  ft. to  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
GRAVEL PACE GROUT MATERIAL: Grout Intervals: From Vhat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 /2 /2 20	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval in the service of possible contamination  4 Lateral lines  5 Cess pool  2 Interval in the service of possible contamination  4 Lateral lines	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to. ft. to. ft. to. ft. to  ft. to  ft. to  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
GRAVEL PACE GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 /2 /2 20	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval in the service of possible contamination  4 Lateral lines  5 Cess pool  2 Interval in the service of possible contamination  4 Lateral lines	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to. ft. to. ft. to. ft. to  ft. to  ft. to  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
GRAVEL PACE GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 /2 /2 20	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval in the service of possible contamination  4 Lateral lines  5 Cess pool  2 Interval in the service of possible contamination  4 Lateral lines	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to. ft. to. ft. to. ft. to  ft. to  ft. to  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
GRAVEL PACE GROUT MATERIAL: Grout Intervals: From Vhat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 /2 /2 20	From  CK INTERVALS: From  From  1 Neat cement  1 ft. to  Urce of possible contamination  4 Lateral lines  5 Cess pool  2 Interval in the service of possible contamination  4 Lateral lines  5 Cess pool  2 Interval in the service of possible contamination  4 Lateral lines	3.0	# 2 ft., Fr. # 2 ft., Fr. # 5 ft., Fr. # 6 ft., Fr. # 10 Live # 11 Fue # 12 Fert # 13 Inse	om om om Other tt., From stock pens I storage illizer storage octicide storage any feet?	ft. to. ft. to. ft. to. ft. to  ft. to  ft. to  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)
GRAVEL PACE GROUT MATERIAL: Grout Intervals: From Vhat is the nearest sout 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 /2 20 24 24 32 32 36 36 40	From  I Neat cement  I Neat cement  I Lateral lines  5 Cess pool  From  4 Lateral lines  5 Cess pool  From  LITHOLOG  August  Augu	3.0	tt., Fr. tt.	om	ft. to
GRAVEL PACE GROUT MATERIAL: Front Intervals: From Vhat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO 0 /2 20 24 24 32 36 36 40  CONTRACTOR'S CONTRACTOR'S CONTRACTOR'S	From  From  I Neat cement  I	3.0	as (1) constructed, (2) re	om	ft. to
GRAVEL PACE  GROUT MATERIAL:  irout Intervals: From  Vhat is the nearest sound  1 Septic tank  2 Sewer lines  3 Watertight sewer  Direction from well?  FROM TO  2 2 4  2 3 2  3 6  3 6 40  CONTRACTOR'S Completed on (mo/day/	From  From  From  1 Neat cement  1 Neat cement  1 Litholog  2 Litholog  2 Litholog  2 Litholog  2 Litholog  3 Litholog  4 Landowner's Centific  1 Litholog  2 Litholog  3 Litholog  4 Landowner's Centific  1 Litholog  2 Litholog  3 Litholog  4 Landowner's Centific  5 Litholog  6 Landowner's Centific  7 Litholog  8 Landowner's Centific  8 La	3.0	## 15 April 19 April	om	ft. to
GRAVEL PACE  GROUT MATERIAL:  irout Intervals: From  Vhat is the nearest sound  1 Septic tank  2 Sewer lines  3 Watertight sewer  Direction from well?  FROM TO  2 2 4  2 3 2  3 6  3 6 40  CONTRACTOR'S Completed on (mo/day/	From  EK INTERVALS: From From  1 Neat cement  1	3.0	as (1) constructed, (2) re	om	ft. to