			WELL RECOR						
LOCATION OF W	ATER WELL:	Fractio	ATE	CVV	Section Nun			Range	
County: Rooks		SE	NE	SW	11	10		17	
Distance and direction 1/2 m W. on 24			ddress of well if I	located within	city?				
	WNER: Kansas (ommission			·		V-1	
ı R#, St. Address, Bo						Board of Ad	iculture. Divi	ision of Water	Resources
ity, State, ZIP Code		ansas 67601				Application I	lumber:		
LOCATE WELL'S	TOTOUR DOV.					LEVATION:			
WITH AN "X" IN S	ECTION BOX:	วีepth(s) Groundw	vater Encountere	ed 1		, ft. 2	ft.	3	, ft
i r	T /	WELL'S STATIC	WATER LEVEL	9.37	. ft. below lar	nd surface measure	d on mo/day/	/yr6/9)/99
		Pump	test data: Well	water was	NA	ft. after	hours pu	mping	gpm
NW	N I	Est. Yield NA	gpm: Well	water was		ft. after	hours pu	ımping	, gpm
2		Bore Hole Diamet	er 8 ir	ń. to	.20	ft., and	<i>.</i> ir	n. to	<i></i> ft
W	 ,	WELL WATER TO	D BE USED AS:	5 Public v	vater supply	8 Air condition	nin 11	Injection wel	
		1 Domestic	3 Feedlo	6 Oil field	water supply	9 Dewaterin	12	Other (Specif	y below)
sw X	s	2 Irrigatio	4 Industria			y 10 Monitoring v			
.			oacteriological s	ample submitt	ed to Departr	ment? YesNo	; If yes	s, mo/day/yr s	ample was
<u>'</u>		submitte	Ū	,	•	Water Well Disinfe		No	
TYPE OF BLANK	CASING USED:		5 Wrought iro	8 C	oncrete til	CASING.	OINTS: Glue	d Cla	nped
1 Stee	3 RMP (SR		3 Asbestos-Cem		ther (specify			ded	•
(2)PV	4 AB							aded. 🏑	
Jan Zjev			ft Dia			ft., Dia.		•	
						lbs./ft. Wall thickne			
			n., weignt				ss or gauge sbestos-cen		
YPE OF SCREEN			m =11.5		PV (OD)				
1 Stee	3 Stainless		5 Fiberglas		RMP (SR)			ý)	• • • • • • • • •
2 Bras			6 Concrete til	•	AB		lone used (o		
CREEN OR PERFO				Bauzed wrapp		8 Saw cu		11 None (o	pen hole)
1 Continuous	.			Vire wrappe		9 Drilled hole			
2 Louvered sh				orch cu	<u>.</u>	10 Other (spe			
		From	.9 ft.	to 1		, From	ft.	to	f
SCREEN-PERFORA	TED INTERVALS:	From	.9 ft.	to 15	ft,	From	ft. ft.	to	f
CREEN-PERFORA		From From	.9 ft. ft. .8 ft.	to	ft. O ft.	From	ft. ft. ft.	to	f
CREEN-PERFORA	TED INTERVALS:	From From	.9 ft. ft. .8 ft.	to	ft. 0 ft. ft.	From	ft. ft. ft.	to	f
GRAVEL PA	TED INTERVALS: ACK INTERVALS: AL: 1 Neat of	From	.9	to	ft. ft. ft. ft. ft.	From	ft ft ft.	to	f
GRAVEL PA	TED INTERVALS: ACK INTERVALS: AL: 1 Neat of	From	.9	to	ft. ft. ft. ft. ft.	From	ft ft ft.	to	f
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro	TED INTERVALS: ACK INTERVALS: AL: 1 Neat com 0	From	.9	to	ft.	From	ft.	to	f
GRAVEL PAGE OF THE PAGE OF T	TED INTERVALS: ACK INTERVALS: 1 Neat com	From From From From	.9	to	ft. 0 ft	From	ft ft	to	ffff
GRAVEL PARAVEL	TED INTERVALS: ACK INTERVALS: AL: 1 Neat com 0 source of possible 4 Laters	From	9 ft ft8 ft ft. Cement grou ft., From	to	ft. 0 ft. 6	From	ft ft	to	
GRAVEL PARAMETERIA GROUT MATERIA Grout Intervals: Fro What is the nearest 1 Septic tan 2 Sewer line	ACK INTERVALS: AL: 1 Neat com 0 source of possible 4 Laters 5 Cess	From From From	9 ft ft8 ft ft. Cement grou ft., From 7 Pit priv. 8 Sewage	to	ft. 0 ft. 6	From	ft ft ft ft	to	
GRAVEL PARAMETERIA GROUT MATERIA Grout Intervals: Fro Vhat is the nearest 1 Septic tan 2 Sewer line 3 Watertight sew	ACK INTERVALS: AL: 1 Neat com 0 source of possible 4 Laters 5 Cess	From From From	9 ft ft8 ft ft. Cement grou ft., From	to	ft. 0 ft. 6 ft. 6	From	ft ft ft ft	to	
GROUT MATERIA GROUT MATERIA Frout Intervals: Fro What is the nearest Septic tan Sewer line Watertight sew Virection from well	ACK INTERVALS: AL: 1 Neat com 0 source of possible 4 Laters 5 Cess	From From	9 ft. ft. ft. 8 ft. ft. ft. ft. Cement grou ft., From 7 Pit priv. 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	ft ft ft ft	to	
GRAVEL PARAVEL	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep	From	9 ft. ft. ft. 8 ft. ft. ft. ft. Cement grou ft., From 7 Pit priv. 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PARAVEL	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess Ver line 6 Seep Clay, Dark Br	From	9 ft. ft. ft. 8 ft. ft. ft. ft. Cement grou ft., From 7 Pit priv. 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PARAMETERIA GROUT MATERIA Grout Intervals: Fro Vhat is the nearest 1 Septic tan 2 Sewer line 3 Watertight sew Direction from well FRO 1 0 3 3 8	TED INTERVALS: ACK INTERVALS: 1 Neat com	From	9 ft. ft. ft. 8 ft. ft. ft. ft. Cement grou ft., From 7 Pit priv. 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PARAMETERIA GRAVEL PARAMETERIA GROUT MATERIA Grout Intervals: From the second of the second o	ACK INTERVALS: AL: 1 Neat of the community of the commun	From	9 ft. ft. ft. 8 ft. ft. ft. ft. Cement grou ft., From 7 Pit priv. 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PAGE OF STREET OF S	TED INTERVALS: ACK INTERVALS: AL: 1 Neat of possible 4 Laters 5 Cess ver line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Sand, Brown	From From From	9 ft. ft. 8 ft. Cement grou ft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PA GRAVEL	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Gravel, Light	From	9 ft. ft. 8 ft. Cement grou ft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PA GRAVEL	TED INTERVALS: ACK INTERVALS: AL: 1 Neat of the community of the communi	From	9 ft. ft. 8 ft. Cement grou ft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PA GRAVEL	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Gravel, Light	From	9 ft. ft. 8 ft. Cement grou ft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PA GRAVEL	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Gravel, Light	From	9 ft. ft. 8 ft. Cement grou ft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PA GRAVEL	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Gravel, Light	From	9 ft. ft. 8 ft. Cement grou ft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PA GRAVEL	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Gravel, Light	From	9 ft. ft. 8 ft. Cement grou ft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PA GRAVEL	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Gravel, Light	From	9 ft. ft. 8 ft. Cement grou ft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PA GRAVEL	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Gravel, Light	From	9 ft. ft. 8 ft. Cement grou ft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (16)	to	
GRAVEL PA GRAVEL	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Gravel, Light	From	9 ft. ft. 8 ft. Cement grou ft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	14 / 15 (to	
GRAVEL PA GRAVEL	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Gravel, Light	From	9 ft. ft. 8 ft. Cement grou ft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	ft.	to	
GRAVEL PAGE GRAVEL	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Gravel, Light	From	9 ft. ft. 8 ft. Cement grou ft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft. 0 ft. Sentonit . ft. to	From	egrade CC - Codell	to	
GRAVEL PA GRAVEL PA GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest 1 Septic tan 2 Sewer line 3 Watertight sew Direction from well FRO 1 0 3 3 8 8 13 13 18 18 20 20 21	TED INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Gravel, Light Shale, Black C	From	9ftftftft. Cement grouft., From	to		From	egrade CCC - Codell #	to	
GRAVEL PAGE GRAVEL	ACK INTERVALS: ACK INTERVALS: AL: 1 Neat of the common o	From	9ftftftft. Cement grouft., From	to		From	egrade CCC - Codell # (3) plugged t	to	dictio
GRAVEL PAGE GRAVEL	ACK INTERVALS: ACK INTERVALS: AL: 1 Neat of the common o	From From From From Prom From Prom Prom Prom Prom Prom Prom Prom P	9	to		From	egrade CCC - Codell # (3) plugged the best of r	to	dictio
GRAVEL PA GRAVEL PA GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest 1 Septic tan 2 Sewer line 3 Watertight sew Direction from well FRO 1 0 3 3 8 8 13 13 18 18 20 20 21	ACK INTERVALS: ACK INTERVALS: 1 Neat of possible 4 Laters 5 Cess For line 6 Seep Clay, Dark Br Clay, Brown Sand, Brown Sand, Brown Gravel, Light Shale, Black Co OR LANDOWNER on (mo/day/year) Contractor's Licen	From From From From Prom Prom Prom Prom Prom Prom Prom P	9	to		From	egrade CCC - Codell # (3) plugged the best of r	to	dictio