WATER WELL RECORD	Form WWC	-5	Division of Wate	r Resources App. No	1062	
1 LOCATION OF WATER WELL:	Fraction		tion Number		Range Number	
County: Rooks	NE 1/4 NE 1/4 SE 1/4	1/4	26	T 10 S	R 18 □E 🗗 W	
Street/Rural Address of Well Location; i		Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .		-	Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
4 3/4 South of Plainville, Ks 67663			Elevation: (in decimal degrees)			
2. WATER WELL OWNER.			Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Steve Felthoelter RR#, Street Address, Box #: Rt 1			Collection Method:			
RR#, Street Address, Box #: Rt 1 City, State, ZIP Code : Plainville, Ks 67663			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Plainville	e, Ks 67663	Est.	Accuracy: \square	3 m, ☐ 3-5 m, ☐	5-15 m, $\square > 15$ m	
3 LOCATE WELL	06					
WITH AN "X" IN 4 DEPTH OF C SECTION BOX: Depth(s) Ground	2 IN 4 DEPTH OF COMPLETED WELL 86 ft.					
N WELL'S STATI	Depth(s) Groundwater Encountered (1).75					
Pump test data: Well water was 68						
EST. YIELD. 25gpm. Well water wasft. after						
W Bore Hole Diameterin. toft., andin. toft.						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? ☑ Yes ☐ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .5 in. to .86 ft., Diameter in. to ft., Diameter ft.						
Casing height above land surface. 24 in., Weight 2.91 lbs./ft., Wall thickness or gauge No21 TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
Fromft. toft. Fromft. toft.						
GRAVEL PACK INTERVALS: From. 86 ft. to20 ft., From ft. to ft.						
From						
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other						
What is the nearest source of possible contamination:						
Septic tank						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
Direction from well						
FROM TO LITHOLOGI		OM TO			GGING INTERVALS	
0 3 Top Soil						
3 15 Rusty Clay						
15 25 Shale						
75 White rock86 Soft lime stone layers				······································		
301 inne stone layers						
			1			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged under my installation and water well was ☐ constructed.						
under my jurisdiction and was completed on (mo/day/year) .06/13/11 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No0199 This Water Well Record was completed on (mo/day/year) .06/28/11						
Lunder the husiness name of Karst Water Well Drilling & Service Inc.						
INSTRUCTIONS: Use typewriter or ball point pen PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct professional and the correct pr						
(Write, blue, pink) to Kansas Department of Health a	nd Environment. Bureau of Wat	ter Geology Sec	tion 1000 SW/ Isc	kenn St. Suita 420 T	onaka, Kanson 66612 1267	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Dlue Copy, Pink Copy						