WATE	R WEI	LL RECORD	Form W	WC-5	Division of Water Resources App. No.		
		OF WATER WELL:	Fraction	1/ 1/	Section Number Township No. Range Number T 10 S R 18 TH		
County: Rooks Sw 1/4 Sw 1/4 Sw 1/4 12 T 10 S R 18 E						7 [A] M	
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)		
From Plainville, Ks 2 miles south, 1/2 mile east				Longitude: (in decimal degrees)			
1101	II r Iaii N	ine, its 2 illies south, in	z IIIII o c asi		Elevation:		
2 WA	TED W	ELL OWNER: Steve F			— Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
		Address, Box #: 1695 Y	elhoelter Bood		Collection Method: GPS unit (Make/Model:	,	
1	-	TD C - 1-	Road e. Ks 67663		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land		
	,, _	- Plainville	e. NS 0/003		Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15		
3 LOCATE WELL							
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 43						
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).8 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL.8 ft. below land surface measured on mo/day/yr. 03/13/14						
	Pump test data: Well water wasft. afterhours pumpinggpm						
	EST. YIELD 10gpm. Well water was						
w N	D 11 D 11 D 11 D 11 D 1 D 1 D 1 D 1 D 1						
	WELL WATER TO BE USED AS:						
SW SE							
SW SIS- Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted							
water wen disinfected: [y] Tes [] No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5							
Casing diameter							
TYPE (OF SCRI	EEN OR PERFORATION	MATERIAL:	· ~~~			
☐ Steel ☐ Stainless Steel ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
			From	ft. to	ft., From ft. to	ft.	
	GRAV	EL PACK INTERVALS:	From 43	ft. to20	ft., From ft. to	ft.	
From ft. to ft., From ft. to ft.							
From							
Grout Intervals: From $\stackrel{?}{\sim}$ ft. to							
What is the nearest source of possible contamination:							
	☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well							
Direction from well							
FROM	ТО	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTER	RVALS	
0	8	Top Soil					
8	31	Sand					
31	32 43	Rock Shale					
32	43	Silale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .4/15/14 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 0199 This Water Well Record was completed on (mo/day/year) 5/2/14							
under the business name ofKarst Water Well Drilling & Service, Inc by (signature)							
ŀ	Kansas De	partment of Health and Environn	nent, Bureau of Water, Geol	logy Section, 10	000 SW Jackson St., Suite 420, Toneka Kansas 66612-1367	1	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
			http://www.kdheks.gov	/waterwell/index	x html		